

VNPK AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	Available with local airlines operator
2.	Fuel/Oil Types	JET A-1 / Not available
3.	Fuelling facilities/capacity	During period of flight operation/NA
4.	De-icing facilities	NIL
5.	Hanger space for visiting aircraft	NIL
6.	Repair facilities for visiting aircraft	NIL
7.	Remarks	-

VNPK AD 2.5 PASSENGER FACILITIES

1.	Hotels	in the city
2.	Restaurants	in the city
3.	Transportation	Taxi Service, Buses from AD
4.	Medical Facilities	First Aid at AD, Hospitals in the city.
5.	Bank and Post Office	In the City
6.	Tourist Office	In the city.
7.	Remarks	-

VNPK AD 2.6 RESCUE AND FIRE FIGHTING SERVICE

1.	AD Category for firefighting (V)	Category V RFF service available
2.	Rescue equipment	Available as per category
3.	Capability for removal of disabled aircraft	NIL
4.	Remarks	-

VNPK AD 2.7 SEASONAL AVAILABILITY

Aerodrome is available throughout the year.

VNPK AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATION DATA

1.	Apron surface and strength	Surface - Asphalt Concrete, Strength - ...
2.	Taxiway width, surface and strength	Width - 23 m, Surface – Bitumen, Strength - ...
2.1	Loop Taxiway	-Designation C and D
3.	ACL location and elevation	Location: - At Apron Elevation :- 2723 ft.
4.	VOR/INS checkpoints	--
5.	Remarks	Isolated parking 65×60m Gravel, ATR 42 Type

VNPK AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1.	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	Taxiing guidance signs at intersections with TWY and RWY and at holding positions. Guide lines at apron.
2.	RWY and TWY markings and LGT	RWY: 04/22, THR, TDZ, Center line, RWY edge marked. TWY: Center line, holding positions at all TWY/RWY intersections marked.
3.	Stop bars
4.	Remarks	-

VNPK AD 2.10 AERODROME OBSTACLES

In area 2					
OBST ID/ Designation	Obstacle type	Obst. Position *	ELEV/HGT (mt)	Markings/Type color	Remarks
a	b	c	d	e	f
VNPKOB001	Radio Nepal Antenna	28 13 15 N 083 58 50 E	968 /30	Marked/LGTD	
VNPK OB002	Hill top View TWR	28 14 23 N 084 00 39 E	1431/20	Marked	
VNPK OB003	Trees South west	28 09 55 N 083 57 41 E	1223/20	--	

VNPK AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1.	Associated MET Office	MET office, Pokhara Airport
2.	Hours of service MET office outside hours	As ATS
3.	Office responsible for TAF preparation periods of validity	NIL
4.	Type of landing forecast interval of issuance	NIL
5.	Briefing/Consultation provided	METAR
6.	Flight documentation language(s) used	Charts or Tabular forms Text English
7.	Charts and other information available for briefing or consultation	NIL
8.	Supplementary equipment available for providing information	Self- briefing terminal
9.	ATS units provided with information	Pokhara TWR
10.	Additional information (limitation of service, etc.)	--

* WGS 84 Coordinates

VNPK AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designation RWY NR	TRUE & MAG BRG	Dimensions of RWY (M)	Strength(PCN)and surface of RWY and SWY	THR Coordinates	THR elevation and Highest elevation of TDZ of Precision APP RWY
1	2	3	4	5	6
04	040	1444 x 30	Bitumen	28 11 47 N* 083 58 37 E	810 m AMSL
22	220	1444 x 30	Bitumen	28 12 19 N* 083 59 08 E	822 m AMSL
Slope of RWY-SWY	SWY Dimensions (M)	CWY Dimensions (M)	Strip Dimensions (M)	OFZ	Remarks
7	8	9	10	11	12
.....

VNPK AD 2.13 DECLARED DISTANCES

RWY Designator	TORA (m)	TODA (m)	ASDA (m)	LDA (m)	Remarks
1	2	3	4	5	6
04	1444	1444	1444	1444	
22	1444	1444	1444	1444	

VNPK AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	APCH LGT type LEN INTST	THR LGT color WBAR	VASIS PAPI	TD Z LG T LE N	RWY Center Line LGT Length, spacing color, INTST	RWY edge LGT LEN, spacing color INTST	RWY End LGT color	SWY LGT LEN (M) color	Remarks
1	2	3	4	5	6	7	8	9	10
04	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	
22	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	

* WGS 84 Coordinates

VNPK AD 2.19 RADIO NAVIGATION AND LANDING AID

Type of Aid MAG VAR Type of supported OP (for VOR/ILS/MLS give declinations)	ID	Frequency	OPR Hours	Position of Transmitting Antenna Coordinates	Elevation of DME Transmitting Antenna	Remarks
1	2	3	4	5	6	7
DME 0° E		CHN 75 X	H24	281203 N* 0835905 E	829 m	

VNPK AD 2.20 LOCAL TRAFFIC REGULATIONS

BTN 0445-0945 Daily, Paragliding activities takes place at Sarangkot, Toripani, Mahendradhunga at Pokhara area. Pilots to exercise caution while flying over that area. Airspace: 7000 ft AMSL
GND

BTN 0415-1115 Daily, Paragliding activities takes place at Bandipur area, near W41 route (26 NM South East of Pokhara airport). Pilots to exercise caution while flying over that area. Airspace: 5000 ft AMSL
GND

BTN 0015 - 1115 Daily, Ultra Light Training Flight zone has been established at 5.6 DME from Pokhara Airport at Laurek, Kaski District within 1NM circle From the mid point of Laurek Air Strip. Ultra light Training flight shall strictly remain to the west of Harpan Khola bridge to separate from the Paragliding Flights. Pilots to exercise caution while flying over that area. Airspace: 4500 ft AMSL
GND

Note.- Any changes will be notified by NOTAM

VNPK AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

* WGS 84 Coordinates

VFR HOLDINGS AT POKHARA

