

Pre-flight Information Bulletin	CIVIL AVIATION AUTHORITY OF NEPAL AIM DEPARTMENT INTERNATIONAL NOTAM OFFICE TIA, KATHMANDU Tel: +977-01-4113315, Fax: 01-4113178 E-mail: notamtia@gmail.com	Date and time of issue 09/03/2026 0000 UTC	Route and Area Coverage 1) KATHMANDU FIR (VNSM) AND OTHER FIRS 2) VNKT/B345/LLK/R460/L626/DPN/G336/SMR/G590/IID/W10/BBB 3) VNKT/R325/R344/CEA/BGO/G463/L507/BKK
GENERAL (FIR/ Routes/ Aerodromes)			
LOCATION	FACILITY	INFORMATION	
<u>KATHMANDU FIR</u> VNBW	VOR	A0030/26: 0715-1815 VOR FREQ ON 117.0MHZ U/S DUE TECR FM 2603070715 TL 2603091815.	
VNKT	A-CDM	A0250/25: BTN 0115-0715 DLY, OPERATIONAL TRIAL OF A-CDM WILL TAKE PLACE: 1. SUBJECT AIRCRAFT: ALL FIXED WING FLT FROM VNKT 2. TSAT (TARGETTED START-UP TIME) WILL BE ASSIGNED TO SUBJECT ACFT. RMK: FOR DETAIL INFORMATION REFER TO AIP SUP 11/25 18 MAY 2025). FM 2601010115 TL 2603310715.	
VNKT	RWY TURNING BAY	A0245/25: SIZE OF RWY TURNING BAY LOCATED AT THE EXTREME SOUTHERN END OF RWY02 IS TEMPORARILY DECREASED BY 11 METER DUE TO CONST WIP 1. MINIMUM STEERING ANGLE IS LIMITED TO 40 DEGREE AND MAX.TAX SPEED IS LIMITED TO 10KT.FM 2512140630 TL 2603142359.	
VNKT	CORRIGENDUM	A0222/25: CORRIGENDUM: THE ACTIVITIES OF AIP SUP 16/25 (16 JULY2025) AT STATED DATE AND TIME. AA. ITEM C OF AIP SUP: THE EXISTING TAXIWAY 'E' AND PART OF THE EXISTING PARALLEL TAXIWAY 'F' BTN EXISTING TAXIWAY 'D' AND EXISTING TAXIWAY 'E' WILL BE COMPLETELY CLSD FOR THE FOLLOWING PERIODS DUE CONTRUCTION WORKS: BB. PROPOSED ACTIVITY DURATION: 1. START DATE AND TIME: 2512010001 2. END DATE AND TIME:2603312359 CC: PERIODS OF ACTIVITIES: 24 HOURS DLY RFF: AIP SUP 16/25 (16 JULY 2025), CHANGE IN START DATE AND TIME OF PROPOSED ACTIVITY.	
VNST	FIRE VEHICLE	D0029/26: FIRE VEHICLE U/S DUE TECR. FM 2602280855 TL 2603271215.	
VNCG	BEACON	D0027/26: AERODROME BEACON LGT U/S DUE TECR. FM 2602100955 TL 2603101845.	
VNCG	RTIL	D0026/26: RTIL RWY 28 U/S DUE TECR. FM 2602100945 TL 2603101845.	
<u>DELHI FIR</u> VIDP	RWY	A0489/26: 1830-2330 ON 03 06 10 13 17 20 24 27 31 MAR, RWY10/28 NOT AVBL FOR OPS DUE MAINT. FM2603031830 TL 2303312330.	
VIDP	RWY	A0488/26: 1830-2330 ON 01 04 08 11 15 18 22 25 29 MAR, RWY 11L/29R NOT AVBL FOR OPS DUE MAINT. FM 2603011830 TL 2603292330.	
VIDP	RWY	A0457/26: RWY 11R/29L NOT AVBL FOR OPS. FM 2602251830 TL 2605251829EST.	
<u>MUMBAI FIR</u> VABB	ILS	G0210/26: REFER EAIP INDIA PAGE AD 2 VABB 2-105 DATED 15 JUL 2021 REGARDING ILS Y RWY27 PROC. STRAIGHT IN OCA(H) FOR GP INOPERATIVE CAT A/B/C/D IS AMENDED. TL 2603182359.	
VABB	ILS	G0209/26: REFER EAIP INDIA PAGE AD 2 VABB 2-103 DATED 15 JUL 2021 REGARDING ILS Z RWY27 PROC. STRAIGHT IN OCA(H) FOR GP INOPERATIVE CAT A/B/C/D IS AMENDED. TL 2603182359.	
VABB	BIRDS	A2108/25: 0501-0759, 1430-2100, CONCENTRATION OF BIRDS IN AND AROUND VCY OF AD. BIRDS WITH WT BTN 500 GRAMS TO 1.25KG AND 1KG TO 2KG MAX SIZE OF FLOCK OF BIRDS UPTO 50 BIRDS. PILOTS TO EXER CTN DRG LDG/TKOF AND TAX. FM 2512170501 TL 2603162100.	
<u>KOLKATA FIR</u> VECC	RWY	A0321/26: 0530-1030 ON WED AND THU, RWY 19L/01R NOT AVBL FOR OPS DUE MAINT WIP WHEN VIS 1200M AND ABV. FM 2602190530 TL 2603121030 (FOR DETAIL SEE NOTAM...).	

VECC	DISTANCE	A0243/26: TORA, TODA FOR RWY01L REDUCED TO 2404M AND LDA FOR REWY01L REDUCED TO 1966M. RWY19R THR DISPLACED 867M. TORA, TODA AND LDA FOR RWY19R REDUCED TO 2404M. RWY19R/01L AVBL FOR OPS UPTO CODE C ACFT ONLY. FM 2602090330 TO 2605080830.
VECC	GNSS	A0010/26: GNSS SIGNAL INTERFERENCE/LOSS REPORTED IN KOLKATA FIR. ALL ACFT TO EXER CTN. FM 2601030000 TL 2604022359.
<u>CHENNAI FIR</u> <u>DHAKA FIR</u> VGHS	DME	A0027/26: DME FREQ 1161MHZ IDENT 'DAC' WILL REMAIN ON TEST OPERATION DUE TO NEW DME INSTALLATION. FM2602051145 TL 2605041000.
VGHS	DVOR	A0026/26: DVOR FREQ 112.7MHZ IDENT 'DAC' WILL REMAIN TEST OPERATION DUE TO NEW DVOR INSTALLATION. FM2602051140 TL 2605041000.
VGHS	LASER LGT	A0025/26: SPORADIC LASER ILLUMINATION MAY TAKE PLACE FROM UNKNOWN SOURCES OF NEARBY POPULATED AREA OF THE AIRFIELD. ALL PILOTS ARE REQUESTED TO EXER CTN DRG THE DEFFERENT APPROACH PHASES AND INITIAL CLIMBING PHASE WITHIN 12NM DAC DVOR. FM 2602050724 TL 2605042359EST.
VGHS	ILS	A0546/25: ILS FOR RWY14 FREQ 109.5MHZ IDENT 'IDA' WILL BE NORMAL IN OPERATION FOR CAT-1 ONLY WITH MET MINIMA VIS 1000M OR RVR 700M. FM 2512240409 TL PERM.
<u>YANGON FIR</u> VYYY	ATS SURVEILLANCE SYSTEM	A0041/26: NEW ATS SURVEILLANCE SYSTEM IMPLEMENTED IN GHOSTING MODE AT YANGON ACC. SYSTEM USED FOR OPERATIONAL MONITORING/TRIAL PURPOSE ONLY. NO CHANGE TO EXISTING ATC SEPARATION METHODS AND ATS PROCEDURES. PILOTS SHALL CONTINUE TO COMPLY WITH CURRENT ATS INSTRUCTIONS AND PROCEDURES. FM 2602230630 TL 2603230730.
VYYY <u>BANGKOK FIR</u> <u>SINGAPORE FIR</u> <u>KUNMING FIR</u> ZPKM	AWOS	A0017/26: AD AWOS U/S DUE TO TECR. FM 2601210001 TL 2604202359.
	VOR/DME	A0512 AND 0584/26: DALLI VOR/DME 'DAL' 112.6MHZ/CH73X U/S DUE TO MAINT. FM 2602141200 TL 2606101559.
ZPPP	LOC	U6030/25: RWY21 LOC ADD NEW LIMITATION: U/S BEYOND 020 DEG BOTHSIDE OF FRONT COURSE. FM 2512040812 TL 2606111559.
ZPPP	LOC	U6029/25: RWY03 LOC ADD NEW LIMITATION: U/S BEYOND 020 DEG RIGHTSIDE OF FRONT COURSE. FM 2512040812 TL 2606211559.
ZPPP	LOC	U6028/25: RWY04 LOC ADD NEW LIMITATION: U/S BEYOND -020 DEG RIGHTSIDE OF FRONT COURSE. FM 2512040810 TL 2605301559.
ZUUU	RWY	U0702/26: 1800-2200 ON MAR 8,9 AND 11 RWY02R/20L CLSD DUE TO MAINT. FM 2603081800 TL 2603112200
ZUUU	ATIS	U6113/25: ATIS FREQ CHANGED AS FLW: 126.45MHZ (CHINESE), 128.6MHZ (ENGLISH). FM 2512060520 TL PERM.
ZUUU	SID PROC	U4788/25: 1. SID RWY02R(ZUUU-3V-2): SEGMENT JITANG VOR/DME 'JTG' -GURET OF PROCEDURE... FM 2510161600 TL 2604301559. (FOR DETAILS SEE THE NOTAM...)
ZUUU	AD	U4573/25: AD NOT AVBL FOR ALTN OF PASSENGER FLIGHT FM HONGKONG CHINA, MACAO CHINA, TAIWAN CHINA, AND NOT AVBL FOR INTERNATIONAL PASSENGER FLIGHT ALTN, EXCEPT EMERGENCY OR THE DESTINATION AIRPORT IS CHENGDU/TIANFU. FM 2509280923 TL 2603311559.
<u>GUANGZHOU FIR</u> ZGZU	VOR/DME	A4723/25: NANXIONG VOR/DME 'NNX' 115.6MHZ/CH103X U/S DUE TO MAINT. FM 2512190736 TL 2606301559 EST.
ZGZU	NDB	A3958/25: ERTANG NDB 'QP' 213KHZ U/S DUE TO MAINT. FM 2510291210 TL 2604281559 EST.
ZGZU	VOR/DME	G0744/26: PINGZHOU VOR/DME 'POU' 114.1MHZ/CH88X LIMITED TO USE: 1.VOR/DME U/S BEYOND 22NM ON RADIAL 009DEG FOR DEP PROCEDURE.

ZGZU	VOR/DME	2. VOR U/S BEYOND 33NM ON RADIAL 339DEG FOR DEP PROCEDURE. 3. DME U/S BEYOND 25NM ON RADIAL 339DEG FOR DEP PROCEDURE. FM 2603020546 TL 2603181559. G0023/26: DUE TO PINGZHOU VOR/DME 'POU' U/S, FLW SID PROCEDURE U/S: 1. SID RWY01L/01R (ZGGG-3V-5): SAREX-1. 2. SID RWY01L/01R (ZGGG-3V-7): VIBOS-1. FM 2601040743 TL 2606301559 EST.	
ZGGG EMIRATES FIR OMAE	VOR/DME	G0743/26: SHILONG VOR/DME 'SHL' 115.7MHZ/CH104X U/S DUE TO MAINT. FM 2603020543 TL 2603181559.	
	ATS ROUTE	A1015/26: ATS RTE M318 BTN ATUDO AND MUXIT AND ATS RTE M550 BTN GOLGU AND RIBOT CLSD DUE MIL ACT.FM 2603070942 TL 2603161200EST.	
OMAE	FIR	A0910/26: EMIRATES FIR PARTIALLY CLSD. ARR AND DEP TFC INTO EMIRATES FIR IS PERMITTED ONLY VIA THE FOLLOWING WAY POINTS: OMAA, OMAL, AND OMAD ARR VIA ITRAX AND SODEX OMAA, OMAL AND OMAD DEP VIA LABRI AND RETAS. FROM2603021316 TL 2603041200EST. (FOR DETAIL SEE THE NOTAM...).	
OMDB	RWY	A0767/26: 1130-1300 ON 01 08 15 22 29 MAR, RWY 12R/30L CLSD. FM2603011130 TL 2603291300.	
OMDB	RWY	A0766/26: 2130-2215 ON 04 17 MAR, RWY 12R/30L CLSD. FM2603042130 TL 2603172215.	
OMDB DOHA FIR OTHH	RWY	A0765/26: 1100-1400 ON 04 05 10 11 17 18 24 25 MAR, RWY 12R/30L CLSD. FM 2603041100 TL 2603251400.	
	RNP APCH	A0138/26: RNP APCH LNAV/VNAV AND LNAV ONLY FOR RWY 16L TEMPORARILY SUSPENDED. FM 2601220000 TL 2604122359.	
OTDF	FIR	A0511/26: DOHA FIR CLSD, EXCEPT FOR THE STATE, MEDEVAC AND SAR ACFT SUBJECT TO PRIOR PERMISSION.	
FIR/UIR Ref.	Period Time (UTC)	Area and Nature of activity	Upper Limit Lower Limit
KATHMANDU N.1	<u>23/02-28/03</u> 0615-1145	B0038/26: 0615-1145 ON 23 FEB AND FROM 24 FEB TO 28 MARCH 0200-1145 DAILY. LIDAR SURVEY FLIGHT WILL TAKE PLACE AT CHITWAN, BARA, PARSA, MAKWANPUR, NAWALPARASI AND TANAHUN DISTRICT. TAKE OFF POINT: VNBP AND VNSI LANDING POINT: VNBP AND VNSI SURVEY AREA: 265849N/0845154E, 270015N/0844530E 270249N/0843838E, 272013N/0843723E 272411N/0841644E, 274927N/0842514E 275332N/ 0843606E, 274958N/0843854E 274608N/0844000E, 274345N/0844133E 274219N/0850210E, 271859N/0845803E.	<u>4500FT AGL</u> 1500FT
DELHI FIR MUMBAI FIR A.1	<u>02/03-30/04</u> 0030-1730	A0304/26: 0030-1730 ON 02 03 05-07 09-14 16-20 23-25 27 28 30 MAR, 0030-1700 ON 01 02 04 06-11 13-18 20-25 27-30 APR, VAD 8 (BERCHHA) ACT.	<u>12000FT AGL</u> GND
KOLKATA FIR DHAKA FIR YANGON FIR Y. 1	<u>07-10/03</u> 2330-1130	A0055/26/B0055/26: GUNFIRING EXER WILL TAKE PLACE WITH THE FLW DETAILS: THE COORDS OF THE DANGER ZONES (MALON GUNFIRING AREA) AS FOLLOWS: POINT (A) 194000N 0943000E POINT (B) 194000N 0951000E POINT (C) 200000N 0951000E POINT (D) 200000N 0943000E POINT (E) 194000N 0943000E NO OVERFLYING ACTIVITY IS PERMISSIBLE WITHIN THE ABOVE MENTIONED DANGER ZONE, DURING HOURS OF ACTIVITY THE FOLLOWING ATS ROUTES ARE NOT AVBL IN YANGON FIR : (FOR DETAILS SEE NOTAM.....)	<u>38000FT AGL</u> GND
BANGKOK FIR KUNMING FIR GUANGZHOU FIR			

