

<b>Pre-flight information bulletin</b>	<b>CIVIL AVIATION AUTHORITY OF NEPAL AIM DEPARTMENT, HEAD OFFICE INTERNATIONAL NOTAM OFFICE TIA</b>	<b>Date and time of issue</b>	<b>Route and Area Coverage</b>
		24/03/2019 0000 UTC	1) VNKT/R325/R344/CEA/BGO/G463/L507/BKK 2) VNKT/B345/LLK/R460/L626/DPN/G336/SMR/G590/IID/W10/BBB 3) KATHMANDU FIR (VNSM)

### NAVIGATION WARNINGS

<b>FIR/UIR Ref.</b>	<b>Period Time (UTC)</b>	<b>Area and nature of activity</b>	<b>Upper limit Lower limit</b>
<b><u>KATHMANDU FIR</u></b>			
N.1	<u>01/03-30/06</u> 0000-0300	A0030/19: A WHITE COLOR RADIOSONDE LAUNCHING BALLOON WILL BE RELEASED FM TRIBHUVAN UNIVERSITY, KIRTIPUR AREA WITH THE FOLLOWING DETAILS: TKOF POINT: 274104N 0851732E ALT 4500FT AMSL, RATE OF CLIMB: 13-23 FT PER SECOND, WEIGHT OF BALLOON: 1650 GRAMS AND DIAMETER 130CM. THE BALLOON MAY RISE UPTO THE HEIGHT: 98500FT AND CAN LASTS UPTO HOURS. THE DIRECTION OF MOVEMENT OF BALLOON WILL BE DETERMINED BY WIND SPEED AND DIRECTION.	<u>98500FT AMSL</u> GND
N.2	<u>17-24/03</u> 0905-0945	A0050/19: PARAGLIDING ACTIVITY WILL TAKE PLACE AT LOMANTHANG RURAL MUNICIPALITY AREA, MUSTANG DISTRICT WITH THE FOLLOWING DETAILS: TKOF POINT: COORD 291137.68N 0835737.29E, DISTANCE 28NM AND DIRECTION 030 DEGREE FM VNJS (JOMSOM AERODROME) LDG POINT: COORD 291052.57N 0835744.04E, DISTANCE 25NM AND DIRECTION 027 DEGREE FM VNJS (JOMSOM AERODROME)	<u>13000FT AMSL</u> GND
<b><u>DHAKA FIR</u></b>			
G.1	<u>01-31/03</u> 0000-1600	A0061/19: VGD-30/33/35 ACT.	<u>FL100</u> WATER
G.2	<u>01-31/03</u> 0000-1600	A0062/19: VGD-32/34 ACT.	<u>FL400</u> WATER
G.3	<u>25-26/03</u> 2330-0030	A0126/19: ALL FLY WILL BE RESTRICTED (NO FLY ZONE) WI THE CIRCULAR AREA OF RADIUS 1(ONE) NM AND CENTERED AT NATIONAL MAUSOLEUM SAVAR (235442.70N 0901516.11E), DUE VVIP GND MOV.	<u>3000FT</u> GND
<b><u>BANGKOK FIR</u></b>			
<b><u>YANGON FIR</u></b>			
Y.1	<u>17-27/03</u> 0030-0230	A0078/19: ALL ARR AND DEP ACFTS SUBJ TO DELAY DUE TO MAF SPECIAL AIR EXER FOR 74 <sup>TH</sup> ARMY FORCES DAY.	<u>UNL</u> GND
<b><u>MUMBAI FIR</u></b>			
A.1	<u>01/03-30/04</u> 0030-1730	A0232/19: MAR 01, 02, 05-09, 11-16, 18-20, 22, 23, 25-30 AND APR 01-06, 08-13, 15, 16 18 20 22-27, 29-30. VAD 08 ACT.	<u>14000FT</u> GND
A.2	<u>01/03-30/04</u> 0030-1730	A0233/19: MAR 01, 02, 05-09, 11-16, 18-20, 22, 23, 25-30 AND APR 01-06, 08-13, 15, 16 18 20 22-27, 29-30. VAD 219 ACT.	<u>10000FT</u> GND

### GENERAL (FIR/ Routes/ Aerodromes)

<b>LOCATION</b>	<b>FACILITY</b>	<b>INFORMATION</b>
<b><u>KATHMANDU FIR</u></b>		
VNKT	WIP	A0029/19: RWY, RWY STRIP AND RESA CONSTRUCTION WIP FM 110M SOUTH OF RWY 02 THR UPTO 608M SOUTH. HEAVY EQUIPMENTS WILL BE MOVING THROUGH THE CONSTRUCTION AREA WI OBSTACLE LIMITATION SURFACE. SAFETY FLAG WILL BE USED DURING DAY TIME AND FLASHER LIGHTS DURING NIGHT TIME. PILOTS TO ECT/ECL. TIL 1905220015.
VNKT	LTH	A0034/19: LOCATOR THECHO (LTH) ON 230 KHZ U/S DUE TECR. TIL 1905280200.
VNRB	AD DATA	C0085/18: AERODROME DATA OF RAJBIRAJ AIRPORT HAS BEEN REVISED AS FOLLOWS: ARP COORD: 263038.4N 0864416.51E, ELEV: 262FT (80) SURFACE: ASPHALT CONCRETE RWY DIMENSION: 4921 X 98FT (1500X30M), TXY: 105X30M, APRON: 60X90M RWY THRESHOLD 11: 263040.84N 0864349.80E, ELEV: 80M (262FT) AMSL RWY THRESHOLD 29: 263021.86N 0864439.68E, ELEV: 77.5M (254FT) AMSL DECLARED DISTANCES: RWY DESIGNATOR    TORA(M)    TODA(M)    ASDA(M)    LDA(M) 11                    1500        1560        1500        1500 29                    1500        1560        1500        1500        PERM
VNRB	VHF FREQ	C0086/18: VHF FREQUENCY OF RAJBIRAJ AIRPORT HAS BEEN CHANGED TO 122.5MHZ. PERM
VNRB	OBSTACLES	C0088/18: OBSTACLES IN THE AD VICINITY: 1. HIGH-TENSION LINE: DISTANCE: APPROX 300M FM THR RWY29 HEIGHT: APPROX 30FT FM GND 2. BRICK CHIMNEYS: DISTANCE: APPROX 600M TO 1000M FM THR RWY29 HEIGHT: APPROX 65FT FM GND PILOT TO EXER CAUTION WHILE LDG/TKOF. PERM.

VNKD	RWY	C0047/19: RWY CLSD FOR FIXED WING ACFT DUE LAND SLIDE ON RWY. TIL 1904182359.																		
VNSR	AFIS	C0155/18: AFIS AVBL. (REF AFIS AD 2-4, 01 JULY 2018, AIP NEPAL). PERM.																		
VNTR	RWY	C0041/19: BTN 0715-0315 NXT DAY DLY TIL 11 MAY. RWY CLSD DUE WIP.																		
VNCG VNCG	LIGHT IFR/VFR	C0027/19 RWY EDGE LGT, RWY END LGT, THR LGT, TWY LGT, RWY THR IDENT LGT AND AD BEACON LGT INSTALLED. PERM C0030/19: TYPES OF TRAFFIC PERMITTED – IFR/VFR (REF. AIP NEPAL 2018 PAGE VNCG AD 2-1). PERM																		
VNPL	WIP	C0049/19: CONSTRUCTION WIP TOWARDS WEST OF RWY 02 BTN 120M TO 280M FM THR RWY 02. PILOT TO EXER CAUTION WHILE LDG/TKOF. FM 1902220015 TIL 1904212359.																		
VNSM	SVFR	C0052/19: EXCEPT CAT A AND ROTOR WING ACFT SVFR OPS WILL NOT BE PERMITTED IN THOSE CTR HAVING IFR PROCEDURES ESTABLISHED FM 1902250015 TO PERM.																		
VNBW	WIP	C0064/19: CONSTRUCTION WORKS IN PROGRESS AROUND RUNWAY INSIDE AIRFIELD, EXER CTN WHILE LDG AND TKOF. TIL 1906050500.																		
VNPL	APRON	C0065/19: APRON CLOSED DUE CONSTRUCTION WIP. TIL 1905062359.																		
VNJS	RWY	C0074/19: BTN 0415-1315 DLY RWY CLSD DUE WIP. TIL 1906141315.																		
VNJS	RWY	C0075/19: THR RWY 06 DISPLAYED BY 215M. TORA 600M. AVBL DECLARED DISTANCES: <table style="margin-left: 40px; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">RWY</th> <th style="text-align: left;">TORA</th> <th style="text-align: left;">TODA</th> <th style="text-align: left;">ASDA</th> <th style="text-align: left;">LDA</th> </tr> </thead> <tbody> <tr> <td>06</td> <td>600M</td> <td>600M</td> <td>600M</td> <td>600M</td> </tr> <tr> <td>24</td> <td>600M</td> <td>600M</td> <td>600M</td> <td>550M</td> </tr> </tbody> </table> EXER CAUTION DUE WIP. (REF: AFIS AD 2-2, 01 JULY 2018, AIP NEPAL, 7 <sup>TH</sup> ED) TIL 1906141315.	RWY	TORA	TODA	ASDA	LDA	06	600M	600M	600M	600M	24	600M	600M	600M	550M			
RWY	TORA	TODA	ASDA	LDA																
06	600M	600M	600M	600M																
24	600M	600M	600M	550M																
VNBL	AFIS	C0076/19: AFIS NOT AVBL DUE MANPOWER. FROM 1903250015 TIL 1905241215.																		
<b>DHAKA FIR</b> VGFR	AIRFIELD CLSD	A0123/19: BTN 0930-1000 AND 1100-1130 DLY FM 24 TO 25 MAR AIRFIELD SHALL REMAIN CLSD DUE VVIP GND MOV.																		
VGFR <b>KOLKATA FIR</b> VECC	NO ACFT FLY	A0125/19: BTN 0915-1100 ON 24 MAR AND BTN 0930-1100 ON 25 MAR NO (CIVIL/MLT) ACFT (EXC ACFT INVOLVED IN FLY PAST) SHALL FLY A CIRCULAR AREA OF RADIUS 1 NM CENTRED AT TEJGAON AIRFIELD DUE VVIP GND MOV.																		
<b>YANGON FIR</b> <b>BANGKOK FIR</b> VTBS	RWY	A0172/19: RWY 19R/01L NOT AVBL DUE MAINT WORK DRG THIS PERIOD RWY 19L/01R AVBL FOR UNRESTRICTED OPS FM FEB 28 TILL MAY 23 BTN 0430 TO 1130 ON EV THU.  A0078/19: SIMULTANEOUS PARALLEL DEPARTURES ARE IN OPERATIONL TRIAL AT VTBS. THE RUNWAYS SHALL BE USED AS FLW: <ol style="list-style-type: none"> <li>1. RWY 19L AND RWY 01L ARE USED MAINLY FOR DEPARTURES.</li> <li>2. RWY 19R IS APPROVED, UNDER ATC CONSTRUCTION, FOR ONLY WESTBOUND AND SOUTHBOUND DEPARTURES, ACFT WILL BE INSTRUCTED TO TURN RIGHT HDG220 IMMEDIATELY AFTER AIRBORNE.</li> <li>3. RWY 01R IS APPROVED, UNDER ATC CONSIDERATION, FOR ONLY EASTBOUND, NORTHEASTBOUND, SOUTHBOUND AND SOUTHEASTBOUND DEPARTURES. ACFT WILL BE INSTRUCTED TO TURN RIGHT HDG050 IMMEDIATELY AFTER AIRBORNE. TIL 1904100330.</li> </ol>																		
VTBD	RWY	A0567/19: 03 04 05 06 07 12 19 AND 26 1700-2200. RWY 03R/21L CLSD DUE TO WIP.																		
VTBS	RWY	A0541/19: 08 15 22 AND 29 MAR 1830-2359. RWY 01L/19R CLSD DUE TO WIP.																		
VTBD <b>DELHI FIR</b> VIDP	RWY	A0566/19: 08 14 21 AND 28 MAR 1700-2200. RWY 03L/21R CLSD DUE TO WIP.																		
VIDP	ILS RWY	G0139/19: REF EAIP INDIA PAGE AD 2 VIDP 2-3 ILS RWY 27 MISSED APPROACH PROCEDURE: CLIMB STRAIGHT AHEAD PASSING 1300 FT TURN RIGHT ESTABLISH R-316 (116.1 DPN) CLIMBING TO 2600 FT, AT 10 DME (DPN) CLIMB TO FLO70 TO JOIN SAMPLA VOR (117.0 SAM) HOLD AT FLO70 OR AS INSTRUCTED BY ATC. CAUTION: NO TURN BEFORE CROSSING THR RWY 27. PERM																		
VIDP	RWY	A0172/19: 01-06 AND 17-21 1830-2130, 07 16 22 31 1830-1930, 08, 15, 23, 29 1931-2330, 09-14 24-28 AND 30 2131-2330. RWY 11/29 NOT AVBL FOR OPS DUE MAINT. IN CASE OF REQUIREMENT RWY 11/29 WILL BE MADE AVBL ON 30 MIN PRIOR NOTICE. FM 1903011830 TO 1903311930.																		
VIDP	RWY	10173/19: 01-06 17-20 2131-2330, 08 15 23 29 1830-2130, 16 22 31 1931-2330. RWY 10/28 NOT AVBL FOR OPS DUE MAINT. IN CASE OF REQUIREMENT RWY 10/28 WILL BE MADE AVBL ON 30 MIN PRIOR NOTICE. FM 1903012131 TO 1903312330.																		
VIDP	RWY	A0171/19: 07 1931-2330, 14 28 1830-2130, 21 2131-2330. RWY 09/27 NOT AVBL FOR OPS DUE MAINT. INCASE OF REQUIREMENT RWY 09/27 WILL BE MADE AVBL ON 30 MIN PRIOR NOTICE.																		
VIDP	RWY	A0728/17: DECLARED DIST FOR RWY 09/27: <table style="margin-left: 40px; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">RWY DESIGNATION</th> <th style="text-align: left;">TORA/M</th> <th style="text-align: left;">TODA/M</th> <th style="text-align: left;">ASDA/M</th> <th style="text-align: left;">LDA/M</th> <th style="text-align: left;">RESA</th> </tr> </thead> <tbody> <tr> <td>09</td> <td>3188</td> <td>3188</td> <td>3188</td> <td>3048</td> <td>240*120</td> </tr> <tr> <td>27</td> <td>3448</td> <td>3488</td> <td>3488</td> <td>2965</td> <td>240*120 PERM</td> </tr> </tbody> </table>	RWY DESIGNATION	TORA/M	TODA/M	ASDA/M	LDA/M	RESA	09	3188	3188	3188	3048	240*120	27	3448	3488	3488	2965	240*120 PERM
RWY DESIGNATION	TORA/M	TODA/M	ASDA/M	LDA/M	RESA															
09	3188	3188	3188	3048	240*120															
27	3448	3488	3488	2965	240*120 PERM															
<b>MUMBAI FIR</b> VABB	RWY	A2112/18: EXC SAT 1230-2359, SUN H254, MON 0000-0430 RWY 14/32 NOT AVBL FOR LDG/TKOF DUE WIP IN ZONE 1 OF RWY 32 AT JUNCTION TWY E1/RWY 32 AND PRE THR AREA OF RWY 32. FM 1811190430 TIL 1903301230.																		
VABB	RWY	A2109/18: MON 0830-1015 AND THU 0815-1015 PREVENTIVE MAINT RWY 09/27 NOT UNDERTAKEN AS PER VABB AD 2.23 ADDITIONAL INFORMATION, PARA 11 (ROMAN). FM 1811190830 TIL 1903281015.																		
VABB	RWY	A2107/18: SUN 0530-0930 RWY 09/27 CLSD DUE PREVENTIVE MAINT. EMERG RESTORATION TIME 30 MIN. FM 1811250530 TIL 1903310930.																		

