

AD 2. AERODROME

VNTR AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VNTR – Tumlingtar/Domestic

VNTR AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

| | | |
|----|---|---|
| 1. | ARP Coordinates and site at AD | 271902 N 0871143 E* |
| 2. | Direction and Distance from (city) | 15 Km West of Tumlingtar City. |
| 3. | Elevation/Reference Temperature | 1316 ft (401) m / RT - NA |
| 4. | | |
| | AD Administration, address Telephone, Telefax, AFS | Civil Aviation Authority of Nepal Tumlingtar Civil Aviation Office, Tumlingtar, Sankhuwasabha Tel-977- 029 - 575241 Fax - AFS - VNTRYDYX |
| 6. | Types of traffic permitted (IFR/VFR) | VFR |
| 7. | Remarks | - |

VNTR AD 2.3 OPERATIONAL HOURS

| | | |
|-----|----------------------------|--|
| 1. | AD Administration | SUN – THU 10:00 -17:00 LT (SUMMER), 10:00-1600 LT (WINTER), FRI 10:00-1500 LT |
| 2. | Customs and immigration | - |
| 3. | Health and sanitation | - |
| 4. | AIS Briefing Office | NIL |
| 5. | ATS Reporting Office (ARO) | NIL |
| 6. | MET Briefing | - |
| 7. | AFIS | 1) From 30 Jan - 01 Nov (0415 - 1115) UTC** 2) From 02 Nov - 29 Jan (0415 - 1015) UTC** |
| 8. | Fuelling | - |
| 9. | Handling (Cargo) | - |
| 10. | Security | H-24 |
| 11. | Remarks | |

* WGS 84 Coordinates

**For operations other than above, Prior Co-ordination is required

VNTR AD 2.4 HANDLING SERVICES AND FACILITIES

| | | |
|----|---|---|
| 1 | Cargo-handling facilities | - |
| 2. | Fuel/Oil Types | - |
| 3. | Fuelling facilities/capacity | - |
| 4. | De-icing facilities | - |
| 5. | Hanger space for visiting aircraft | - |
| 6. | Repair facilities for visiting aircraft | - |
| 7. | Remarks | - |

VNTR AD 2.5 PASSENGER FACILITIES

| | | |
|----|----------------------|------------------|
| 1. | Hotels | In the city |
| 2. | Restaurants | In the city |
| 3. | Transportation | Taxi |
| 4. | Medical Facilities | Hospital in city |
| 5. | Bank and Post Office | In the city |
| 6. | Tourist Office | - |
| 7. | Remarks | - |

VNTR AD 2.6 RESCUE AND FIRE FIGHTING SERVICE

| | | |
|----|---|--|
| 1. | AD Category for fire fighting | NIL |
| 2. | Rescue equipment | Ultra High Pressurize Vehicle, Fire extinguisher and Complementary Extinguishing Agents available. |
| 3. | Capability for removal of disabled aircraft | NIL |
| 4. | Remarks | - |

VNTR AD 2.7 SEASONAL AVAILABILITY

| | |
|---|--|
| Aerodrome available throughout the year | |
|---|--|

VNTR 2.8 APRONS, TAXIWAYS AND CHECK LOCATION DATA

| | | |
|----|---|--------------------------------|
| 1. | Apron surface and strength | Surface; Asphalt, Strength; NA |
| 2. | Taxiway width, surface and strength | |
| 3. | Altimeter checkpoint location and elevation | |
| 4. | VOR/INS checkpoints | |
| 5. | Remarks | - |

VNTR AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

| Designation RWY NR | TRUE BRG | Dimensions of RWY (M) | Strength(PCN) and surface of RWY and SWY | THR Coordinates | THR elevation and Highest elevation of TDZ of Precision APP RWY |
|--------------------------|-----------------------|--------------------------|--|--------------------|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| 16 | 160 ⁰ | 1295×30 | | | |
| 34 | 340 ⁰ | 1295×30 | | | |
| Slope of RWY-SWY | SWY Dimensions (M) | CWY Dimensions (M) | Strip Dimensions (M) | OFZ | Remarks |
| 7 | 8 | 9 | 10 | 11 | 12 |
| | | | | | |

VNTR AD 2.13 DECLARED DISTANCES

| RWY Designator | TORA (m) | TODA (m) | ASDA (m) | LDA (m) | Remarks |
|----------------|-------------|-------------|-------------|------------|---------|
| 1 | 2 | 3 | 4 | 5 | 6 |
| 16 | 1295 | 1295 | 1295 | 1250 | |
| 34 | 1275 | 1275 | 1275 | 1295 | |

VNTR AD 2.14 APPROACH AND RUNWAY LIGHTING

| RWY Designator | APCH LGT type LEN INTST | THR LGT color WBAR | PAPI | TDZ LGT LEN | RWY Center Line LGT Length, spacing color, INTST | RWY edge LGT LEN, spacing color INTST | RWY End LGT color | SWY LGT LEN (M) color | Remarks |
|-------------------|-------------------------------------|-----------------------------|---------------------------|-------------------|--|--|----------------------------|--------------------------------|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| 16 | | | | | | | | | |
| 34 | | | PAPI 3.00 ⁰ | | | | RED | | PAPI RWY 34 is restricted and unusable beyond 3 NM from the Runway Threshold |

VNTR AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

| | | |
|----|--|--|
| 1. | ABN Location, characteristics and hours of operation | |
| 2. | LDI Location and LGT Anemometer Location and LGT | |
| 3. | TWY edge and Centre line lighting | |
| 4. | Secondary power supply / switch over time | |
| 5. | Remarks | |