

Pre-flight Information Bulletin	CIVIL AVIATION AUTHORITY OF NEPAL AIM DEPARTMENT INTERNATIONAL NOTAM OFFICE TIA, KATHMANDU Tel: +977-01-4113315, Fax: 01-4113178 E-mail: notamtia@gmail.com		Date and time of issue 30/06/2025 0000 UTC	Route and Area Coverage 1) KATHMANDU FIR (VNSM) AND OTHER FIRS 2) VNKT/B345/LLK/R460/L626/DPN/G336/SMR/G590/IID/W10/BBB 3) VNKT/R325/R344/CEA/BGO/G463/L507/BKK
	GENERAL (FIR/ Routes/ Aerodromes)			
LOCATION	FACILITY	INFORMATION		
<u>KATHMANDU</u>				
VNKT	VVIP	A0139/25: 1150-1220 ON 28 JUNE 1050-1120 ON 04 JULY 2025, ARR/DEP ACFT MAY BE DLA DUE VVIP MOV. FM 2506281150 TL 2507041120.		
VNKT	FIRE DEMONSTRATION	A0138/25: HOT FIRE DEMONSTRATION WILL BE CONDUCT BY ADVANCED ARFF TRAINING COURSE-011 AT FIRE PIT TOWARDS SOUTH EAST OF FIRE STATION, PILOTS TO TAKE CTN WHILE TKOF/LDG. FM 2506300115 TL 2506300245.		
VNKT	A-CDM	A0130/25: 0115-0715 OPERATIONAL TRIAL OF A-CDM (AIRPORT COLLABORATIVE DECISION MAKING) WILL TAKE PLACE 1. SUBJECT ACFT: ALL FIXED WING FLT FROM VNKT. 2. PROC: TSAT (TARGETTED START- UP TIME) WILL BE ASSIGNED TO SUBJECT ACFT. RMK: FOR DETAIL INFORMATION, REFFER AIP SUP 11/25 18 MAY 2025.FM 2506270115 TL 2509260715.		
VNKT	PARKING AREA	A0128/25: A PORTION OF THE EXISTING DOMESTIC APRON ON THE NORTHERN SIDE WILL BE DEMOLISHED FOR THE CONSTRUCTION OF NEW REMOTE INTERNATIONAL PARKING APRON. FEW TEMPORARY PARKING AREAS FOR DOMESTIC FIXED WING AIRCRAFTS ARE INSTALLED IN THE NORTHERN PART OF NEWLY CONSTRUCTED TAXIWAY 'P' DURING THE CONSTRUCTION PERIOD AS FOLLOWS: 1. TEMPORARY PARKING AREA FOR FEW DOMESTIC FIXED WING AIRCRAFTS DURING CONSTRUCTION WORK, ARE INSTALLED IN THE NORTHERN ZONE (FOR ATR, DHC-8, AND CRJ AIRCRAFTS) AND SOUTHERN ZONE (FOR STOL AIRCRAFT ONLY) OF TAXIWAY 'G' WITH FOLLOWING OPERATIONAL LIMITATIONS: AA. OPERATORS ARE ADVISED TO COORDINATE WITH ATC TOWER AND AIRSIDE MANAGEMENT DIVISION FOR PARKING ALLOCATION AND OPERATIONAL GUIDANCE. BB. PILOTS AND GROUND PERSONNEL SHALL EXERCISE CAUTION WHILE OPERATING IN THE TEMPORARY PARKING AREA. CC. FUEL SPILLAGE IN THE TEMPOPARY PARKING AREA IS STRICTLY PROHIBITED WHILE REFUELLING. FM 2506230015 TL 2509230015		
VNKT	TURNING BAY	A0121/25: SIZE OF RWY TURNING BAY LOCATED AT THE EXTREME SOUTHERN END OF RWY02 IS TEMPORARILY DECREASED BY 11M DUE TO CONST WIP. 1. MINIMUM STEERING ANGLE IS LIMITED TO 40 DEGREE AND MAX TAX SPEED IS LIMITED TO 10KT. 2. BLUE REFLECTORS ARE PROVIDED IN PLACE OF TURNING BAY LGT. FM 2506110744 TL 2508310700.		
VNNG	PARKING BAY	D0108/25: PARKING BAY NO 1 CLSD DUE APRON EXTENTION WIP. FM 2506220815 TL 2507020815.		
VNKT	ATFM	D0106/25: 0115-0715, OPERATIONAL TRIAL OF ATFM WILL TAKE PLACE 1. SUBJECT ACFT: ALL FIXED WING FLT FROM VNPR TO VNKT. 2. PROC: CTOT (CALCULATED TAKE-OFF TIME) WILL BE ASSIGNED TO SUBJECT ACFT. RMK: FOR DETAIL INFORMATION, REFFER AIP SUP 7/25 06 MARCH 2025).FM 2506270115 TL 2509260715.		
VNKT	LGT	D0104/25: IWDI RWY02 LGT NOT ILLUMINATING. FM 2506180710 TL 2507190015.		
VNVT	TWY	D0052/25: FOLLOWING SIGNAGE ARE U/S DUE TECR. TWY A: GUIDANCE SIGN -1 NOS, INFORMATION SIGN -1 NOS, MANDATORY INSTRUCTION SIGN- 1 NOS, VOR CHECK POINT SIGN- 1 NOS, TWY B: GUIDANCE SIGN -2 NOS, INFORMATION SIGN -1 NOS, MANDATORY INSTRUCTION SIGN- 2 NOS, VOR CHECK POINT SIGN- 1 NOS, TWY C: GUIDANCE SIGN -2 NOS, INFORMATION SIGN -3 NOS, MANDATORY INSTRUCTION SIGN- 2 NOS, VOR CHECK POINT SIGN- 1 NOS. FM 2504041050 TL 2507311815.		
<u>DELHI FIR VIDP</u>				
VIDP	RVR	A1479/25: INSTRUMENTAL RVR OF RWY 29L TDZ NOT AVBL DUE TECR. FM 2506290919 TL 2506301200.		
VIDP	RWY	A1438/25: 2131-2330 ON 20, 1830-2330 ON 25 27 30 JUNE 2025, RWY 11L /29R NOT AVBL FOR OPS DUE MAINT. FM 2506202131 TL 2506302330.		
VIDP	THR	A1356/25: THR IDENTIFICATION LGT (TIL) FOR RWY 27 U/S DUE TECR. FM 2506161407 TL 2506301300.		
VIDP	RWY	A1327/25: RWY 10/28 NOT AVBL FOR LDG AND TKOF DUE ILS CAT III UPGRADATION WORKS OF RWY 10. DRG THIS PERIOD FLW RESTRICTIONS SHALL APPLY:		

		1. TWY J6, TWY J7 AND TWY K5 NOT AVBL FOR OPS. 2. TWY N7 NOT AVBL FOR OPS. 3. PORTION OF RWY EAST OF TWY J5 NOT AVBL FOR TAXIING. 4. PORTION OF RWY 10/28 BTN TWY K2 AND TWY J5 AVBL FOR TAXIING. 5. TWY XNG K6-H6, K3-H3 NOT AVBL FOR OPS. 6. TWY XNG K2-H2 AND J5-G5 NOT AVBL FOR OPS. FM 2506160430 TL 2509151130.
VIDP	RWY	A1268/25: 1830-2130 ON 09 10 11 13 14 24 25 27 28, 2131-2330 ON 06 17 18 20 21, 1931-2330 ON 07 16 22 30 JUNE 2025. RWY10/28 NOT AVBL FOR OPS DUE MAINT. FM 2506062131 TL 2506302330.
VIDP	BAT MOV	A1249/25: 1200-1530 DLY, BAT MOV IN AND AROUND ALL FOUR RUNWAYS AT IGI AIRPORT. PILOTS TO EXER CTN DRG LDG AND TKOF. FM 2506051200 TL 2507051530.
VIDP	PROC	A0674/25: NOISE ABATEMENT PROC NOT ADHERED DUE WITHDRAWAL OF ILS PROC FOR RWY 10/28. FM 2504010730 TL 2507012330EST.
VIDP	ILS	G0635/25: ILS RWY 10, CAT –(ROMAN) I, IDENT IPLM (LOC 109.500MHZ, GP 332.600MHZ, DME ILS10, CH32X) NOT AVBL DUE EQPT REPLACEMENT. FM 2506230655 TL 2509152359EST.
VIDP	ILS	G0634/25: ILS RWY 28, CAT –(ROMAN) III, IDENT IPLM (LOC 110.300MHZ, GP 335.000MHZ, DME ILS28, CH40X) NOT AVBL DUE EQPT REPLACEMENT. FM 2506230650 TL 2509152359EST.
<u>MUMBAI FIR</u> <u>KOLKATA FIR</u>		
VECC	RWY	A1009/25: RWY 19L/01R NOT AVBL FOR OPS DUE MAINT WIP WHEN VIS 1200M AND ABV. FM 2506060530 TL 2508281030.
VECC	RWY	A0981/25: RWY 01L NOT AVBL FOR OPS DUE CIV WIP. FM 2505310500 TL 2508280500.
<u>CHENNAI FIR</u> <u>DHAKA FIR</u>		
VGHS	NDB	A0437/24: NDB FREQ 298 KHZ INDENT 'DCN' TRANSMISSION U/S DUE ANTENNA UNAVAILABILITY. FM 2411170500 TL PERM.
<u>YANGON FIR</u> <u>BANGKOK FIR</u>		
VTBS	RADAR	A1361/25: PSR U/S. FM2505190920 TL 2507181700.
<u>KUNMING FIR</u> ZUUU	RESA	U5689/24: RESA DIMENSIONS(M) CHANGE AS FLW: 1. RWY02L: LENGTH 240M WIDTH 120M CHANGE TO LENGTH 200M WIDTH 120M. 2. RWY20R: LENGTH 240M WIDTH 120M CHANGE TO LENGTH 200M WIDTH 120M. 3. RWY20L: LENGTH 240M WIDTH 120M CHANGE TO LENGTH 230M WIDTH 120M. FM 2411301600 TL PERM.
ZUUU	RWY	U3054/25: 1800-2200 ON 30 JUN RWY02R/20L CLSD DUE TO MAINT.
ZUUU	AD	U2923/25: AD NOT AVBL FOR ALTN OF PASSENGER FLIGHT FM HONGKONG CHINA, MACAO, TAIWAN CHINA, AND NOT AVBL FOR INTERNATIONAL PASSENGER FLIGHT ALTN, EXCEPT EMERGENCY OR THE DESTINATION AIRPORT IS CHENGDU/TIANFU. FM 2506231600 TL 2509301559.
ZPPP	RWY	U3014/25: 1830-2230 ON JUN 30 AND JUL 04 07 11 AND 14, RWY03/21 CLSD DUE TO MAINT. FM 2506301830 TL 2507142230.
ZPPP	BIRD FLOCKS	U2423/25: ACTIVITIES OF BIRD FLOCKS TAKE PLACE AROUND AD: HEIGHT: OM-600M. MOVE FASTIGIUM TIME: 2330-0230 (NEXT DAY) DLY, 0900-1130 DLY QUANTITY: ABOUT 400. EXERCISE CAUTION WHILE LANDING AND TAKE-OFF. FM2505311600 TL 2506301559.
ZPPP	PAPI	U0726/24: 1. RWY02R THR PAPI MINIMUM EYE HEIGHT OVER THRESHOLD (MEHT) CHANGED TO 18.67M. 2. RWY 20L THR PAPI MEHT CHANGED TO 18.95M. FM 2407282200 TL PERM.
ZPPP	RWY	U0641/25: RWY04 HEAD-UP DISPLAY SPECIAL CAT-II U/S. FM 2502281600 TL 2507311559.
ZPPP	PAPI	U0866/24: 1. RWY03 THR PAPI MEHT: 20.98M. 2. RWY21 THR PAPI MEHT: 21.59M. 3. RWY04 THR PAPI MEHT: 21.75M. 4. RWY22 THR PAPI MEHT: 21.39M. FM 2403091600 TL PERM.
<u>SINGAPORE FIR</u> <u>GUANGZHOU FIR</u>		
ZGZU	VOR/DME	A4351/24: NANXIONG VOR/DME 'NNX' 115.6MHZ/CH103X U/S DUE TO MAINT. FM 2412230220 TL 2506301559EST.
ZGZU	VOR/DME	A1941/25: SHANTOU VOR/DME 'SWA' 112.6MHZ/CH73X U/S DUE TO FLTCK. FM 2506280050 TL 2507020500.
ZGZU	NDB	A0084/25: WUTONG NDB 'PA' 286KHZ U/S DUE TO TROUBLE. FM 2501090851 TL 2506301559EST.

ZGGG	DME	G1980/25: RWY20L DME 'IXL' CH56X BEYOND 18NM U/S. FM 2506180322 TL 2512311559EST.
ZGGG	LOC	G1977/25: RWY20R LOC 'IAA' 110.75MHZ BEYOND 22NM OF FRONT COURSE U/S TO US. FM 2506180318 TL 2512311559EST.
ZGGG	GP	G1976/25: RWY19L GLIDE PATH U/S BEYOND 003DEG LEFTSIDE. FM 2506180317 TL 2512311559EST.
ZGGG	LOC	G1975/25: RWY19L LOC 'IPP' 111.5MHZ LIMITED TO USE: BEYOND 20NM OF FRONT COURSE U/S. FM 2506180315 TL 2512311559EST.
ZGGG	GP	G1974/25: RWY19R GLIDE PATH U/S BEYOND 005DEG LEFTSIDE. FM 2506180314 TL 2512311559EST.
ZGGG	LOC	G1973/25: RWY19R LOC 'IKU' 108.95MHZ LIMITED TO USE: BEYOND 20NM OF FRONT COURSE U/S. FM 2506180313 TL 2512311559EST.
ZGGG	NDB	G1898/25: NDB 'FO' 410KHZ U/S. FM 2506130202 TL 2512311559EST.
ZGGG	DME	G1897/25: RWY02L DME 'IBB' CH40Y U/S DUE TO MAINT. FM 2506130159 TL 2508061559.
ZGGG	ILS	G1896/25: RWY02L ILS U/S DUE TO MAINT. FM 2506130158 TL 2508061559.
ZGGG	DME	G1863/25: CONGHUA DME 'CON' CH77X LIMITED TO USE: 1. U/S BEYOND 29.0NM ON REDIAL 320DEG FOR ARRIVAL PROCEDURE. 2. U/S BEYOND 16.0NM ON REDIAL 011DEG FOR HOLDING PROCEDURE. FM 2506110110 TL 2512311559EST.
ZGGG	VOR/DME	G1719/25: LONGMEN VOR/DME 'LMN' 116.3MHZ/CH110X U/S DUE TO MAINT FM 2505270355 TL 2506301559.
ZGGG	FLW PROC	G1634/25: FLW PROCEDURE U/S DUE TO MAINT: 1. IAC RNAV ILS/DME Z RWY02L. 2. IAC ILS/DME Y RWY02L. FM 2505220130 TL 2509031559.
ZGGG	SID	G1633/25: FLW SID PROC RWY02L U/S DUE MAINT. (DETAILS AVBL IN NOTAM).FM 2505220130 TL 2509031519.
ZGGG	LOC	G1510/25: RWY02R LOC LIMITED TO USE: 1) U/S BTN 17-25NM BEYOND LEFTSIDE 004DEG AND RIGHTSIDE 004DEG OF FRONT COURSE. 2) U/S BEYOND 032DEG LEFTSIDE OF FRONT COURSE. FM 2505140136 TL 2506301559.
ZGGG	LOC	G0083/25: RWY02R LOC LIMITED TO USE: U/S BTN 17-25NM BEYOND LEFTSIDE 004DEG AND RIGHTSIDE 004DEG OF FRONT COURSE. FM 2501221600 TL 2506301559EST.
ZGGG <u>EMIRATES FIR</u> <u>DOHA FIR</u>	VOR/DME	G4546/24: SHILONG VOR/DME 'SHL' 115.7MHZ/CH104X U/S DUE TO MAINT. FM 2412230224 TL 2506301559EST.
OTBD	RNP APCH	A1026/25: RNP APCH RWY15 LNAV, OCA(H) RAISED TO 700 (663) FT. FM 2506291132 TL 2509202359.
OTBD	RNP SID PROC	A1021/25: ALL RNP SID PROCEDURES ARE SUSPENDED. FM 2506291124 TL 2509202359.
OTBD	RESA	A1019/25: RESA DIMENSION OF RWY 15 IS 90M X 92M. FM 2506290849 TL 2507010500.
OTBD	APCH LGT RWY	A0997/25: APCH LGT RWY 33 NOT AVBL. FM 2506290719 TL 2507010500.
OTBD	RWY	A0996/25: DIMENSION FOR RWY 15 AND RWY 33 IS 2350M X 46M. STRIP DIMENSION FOR RWY 15 AND RWY 33 IS 2470M X 300M. FM 2506290718 TL 2507010500.
OTBD	RWY	A0995/25: RWY 15/33 CENTER LINE LIGHTS NOT AVBL. FM2506290717 TL 2507010500.
OTBD	RWY	A0994/25: RWY 15 OPERATED AS INSTRUMENT RWY. FM 2506290715 TL 2507010500.
OTBD	RNP APCH	A0891/25: RNP APCH RWY 33 PROCEDURES IS SUSPENDED. FM 2506050500 TL 2506302359.

<u>FIR/UIR</u> Ref.	<u>Period</u> Time (UTC)	Area and Nature of activity	<u>Upper Limit</u> <u>Lower Limit</u>
<u>KATHMANDU FIR</u> <u>N.1</u> <u>DELHI FIR</u> <u>MUMBAI FIR</u> <u>A.1</u> <u>KOLKATA FIR</u> <u>DHAKA FIR</u> <u>G.1</u> <u>YANGON FIR</u> <u>BANGKOK FIR</u> <u>KUNMING FIR</u> <u>GUANGZHOU FIR</u>	<u>29-30/06</u> 0415-0645 <u>01/05-30/06</u> 0030-1730 <u>29/06-08/07</u> 0100-1230	B0100/25: FRNG EXER WILL TAKE PLACE AT DUDHAULI KHOLA FRNG RANGE, RUPANI -6, SAPTRI DISTRICT WI THE AREA 263830-264100N 0864309-0864600E A0576/25: 0030-1730 26-31 ON MAY, 0030-1730 ON JUN 02-06 09-14 16-21 23-28 30 0030-1730 VAD 219 (HEMA) ACT. A0229/25: 0100-1230 ON 29,30 JUN AND 07,08 JUL 2025. BANGLADESH NAVY SHIPS WILL CARRY OUT SURFACE TO AIR MISSILE FRNG WI THE AREA BOUNDED BY THE LINES JOINING THE FLW COORD: 215530.000N 0912330.000E, 215530.000N 0914230.000E, 213730.000N 0914230.000E, 213730.000N 0912330.000E, AND 215530.000N 0912330.000E ALL PILOTS ARE REQUESTED TO NAVIGATE WITH CTN ABV THE MENTIONED FRNG AREA.	<u>10000FT AMSL</u> GND <u>8000FT AGL</u> GND <u>FL330</u> WATER