

**AD 2. AERODROME****VNNG AD 2.1 AERODROME LOCATION INDICATOR AND NAME****VNNG – NEPALGUNJ/Domestic****VNNG AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1.	ARP Coordinates and site at AD	280606 N 0813959 E*
2.	Direction and Distance from (city)	4 Km, North of Nepalgunj city
3.	Elevation/Reference Temperature	158 m. (518 ft.) / 42°C (June)
4.	MAG VAR/Annual Change	0 ° E
5.	AD Administration, address Telephone, Telefax, Telex AFS	Civil Aviation Authority of Nepal Nepalgunj Civil Aviation Office, Nepalgunj, Banke Te1- 977-081-565158 (Director) 977-081 565205 (Tower), 977-081565210 (Admin) Fax - 977-081-565204 AFS - VNNGYDYX
6.	Types of traffic permitted (IFR/VFR)	IFR / VFR
7.	Remarks	-

**VNNG AD 2.3 OPERATIONAL HOURS**

1.	AD Administration	SUN-THU 10:00 -17:00 LT (SUMMER), 10:00-1600 LT (WINTER), FRI 10:00-1500 LT
2.	Customs and immigration	NIL
3.	Health and sanitation	NIL
4.	AIS Briefing Office	NIL
5.	ATS Reporting Office (ARO)	NIL
6.	MET Briefing	Half Hourly Metar provided during ATS Operation Hours
7.	ATS	1) From 16 Feb - 15 Nov (0015 - 1300) UTC 2) From 16 Nov - 15 Feb (0045 - 1215) UTC
8.	Fuelling	Jet A1 during Operation Hours
9.	Handling (Cargo)	NIL
10.	Security	H-24
11.	Remarks	Any change will be notified by NOTAM

\* WGS -84 Coordinates

### VNNG AD 2.4 HANDLING SERVICES AND FACILITIES

1.	Cargo-handling facilities	Available with local airlines operator
2.	Fuel/Oil Types	JET A-1 / Not available
3.	Fuelling facilities/capacity	<b>Storage Capacity (KL):</b> Physical -280, Mobile-23 <b>Storage Type:</b> UG Tank (70×4) <b>Refueller Details:</b> AR17(11KL), AR19 (12KL)
4.	De-icing facilities	NIL
5.	Hangar space for visiting aircraft	-----
6.	Repair facilities for visiting aircraft	NIL
7.	Remarks	-

### VNNG AD 2.5 PASSENGER FACILITIES

1.	Hotels	in the city
2.	Restaurants	in the city
3.	Transportation	Taxi Service, Rickshaw from AD
4.	Medical Facilities	First Aid at AD, Hospitals in the city.
5.	Bank and Post Office	NIL
6.	Tourist Office	In the city.
7.	Remarks	-

### VNNG AD 2.6 RESCUE AND FIRE FIGHTING SERVICE

1.	AD Category for firefighting	Category V
2.	Rescue equipment	2 Fire Vehicle, 2 Ambulance, Fire extinguisher and Complementary Extinguishing Agents available.
3.	Capability for removal of disabled aircraft	NIL
4.	Remarks	-

### VNNG AD 2.7 SEASONAL AVAILABILITY

Aerodrome is available throughout the year.
---

### VNNG AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATION DATA

1.	Apron surface and strength	Surface - Asphalt Concrete, Strength - 22/F/A/Y/T
2.	Taxiway width, surface and strength	Width-TWY A 14.92m, TWY B 14.86m, TWY C 13.81m, Parallel TWY 13.77m, Surface-Asphalt, Strength - 20/F/A/Y/T
3.	Altimeter check point location and elevation	Location: - At Apron Elevation :- 518 ft.
4.	VOR/INS checkpoints	VOR:-Taxi holding position.
5.	Remarks	-

**VNNG AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS**

Designation RWY NR	TRUE & MAG BRG	Dimensions of RWY M	Strength PCN and surface of RWY and SWY	THR Coordinates	THR elevation
1	2	3	4	5	6
08	081°	1505 x 30	21/F/C/Y/T Bitumen	280609.36 N* 0813934.20E	156.77m AMSL
26	261°	1505 x30	21/F/C/Y/T Bitumen	280616.56 N* 0814028.42E	157.50 m AMSL
Slope of RWY-SWY	SWY Dimensions M	CWY Dimensions M	Strip Dimensions M	OFZ	Remarks
5	6	7	8	9	10
.....	.....	.....	.....	.....	.....

**VNNG AD 2.13 DECLARED DISTANCES**

RWY Designator	TORA m	TODA m	ASDA m	LDA m	Remarks
1	2	3	4	5	6
08	1524	1524	1524	1524	
26	1524	1524	1524	1524	

**VNNG AD 2.14 APPROACH AND RUNWAY LIGHTING**

RWY Designator	APCH LGT type LEN INTST	THR LGT color WBAR	VASIS PAPI	TDZ LGT LEN	RWY Center Line LGT Length, spacing color, INTST	RWY edge LGT LEN, spacing color INTST	RWY End LGT color	SWY LGT LEN M color	Remarks
1	2	3	4	5	6	7	8	9	10
26	SALS 420 M LIM	Green	PAPI Left/3.40°	NIL	NIL	1500m 60m White, LIM	Red	NIL	
08	NIL	Green	PAPI Left/3.00°	NIL	NIL	1500m 60m White, LIM	Red	NIL	

\* WGS -84 Coordinates