

## AFIS.STOL AERODROMES

AFIS AERODROMES location Indicator	Aerodrome Reference Point	Elevation ft. m	RWY			Radio Com and NAV Aids		Aerodrome Status	RFFS	Remarks
			Designation	Dimension ft m	Surface	Frequency	Operating Hrs			
1. Baglung VNBL	281246 N * 0833959 E	3248ft 990m	01/19	1994 × 100ft 608 × 30m	Earthen	123.95 MHZ	0015 – 0630## 0045 – 0630##	Not in Operation	Fire Extinguishers available.	
2. Baitadi VNBT	292755 N * 0803257 E	4127ft 1258m	03/21	1935 × 65ft 590 × 20m	AC	122.5 MHZ	0015 – 0630## 0045 – 0630##	In Operation	Fire Extinguishers (wheel type fire extinguishers also) available.	TWY 20×20 m APRON 70×30m RWY Slope 4.5%
3. Bajhang VNBG	293218 N * 0811100 E	4127ft 1258 m	06/24	2067 × 65 ft 630 × 20 m	AC	122.5 MHZ	0015 – 0630## 0045 – 0630##	In Operation	Fire Extinguishers (wheel type fire extinguishers also) available.	TWY 15×25 m APRON 60×30m RWY Slope 2.75%
4. Bajura VNBR	293013 N * 0814006 E	4606ft 1404m	09/27	1706 × 65ft 520 × 20 m	AC	122.5 MHZ	0015 – 0630## 0045 – 0630##	In Operation	Fire Extinguishers (wheel type fire extinguishers also) available.	
5. Bhojpur VNBJ	270851 N * 0870303 E	3962ft 1208m	17/35	1771 × 65ft 540 × 20 m	AC	122.3 MHZ	0015 – 0630## 0045 – 0630##	In Operation	Fire Extinguishers available.	TWY 18×20 m APRON 65×32 m
6. Chaurjahari VNCJ	283738 N * 0821136 E	2431ft 741m	03/21	1968 × 65ft 600 × 20m	AC	122.5 MHZ	0015 – 0630## 0045 – 0630##	Not in Operation	Fire Extinguishers (wheel type fire extinguishers also) available.	Slope 0.22% towards RWY 21
7. Dang VNDG	280644 N * 0821733 E	2080ft 634m	16/34	2460 × 98ft 750 × 30 m	AC	122.5 MHZ	0015 – 0630## 0045 – 0630##	In Operation	Fire Extinguishers (wheel type fire extinguishers also) available.	Fix – TULSI Coordinates 280642 N 0821730 E
8. Darchula VNDL	294009 N* 0803254 E	2218ft 676m	07/25	1935 × 98ft 590 × 30 m	Earthen	-	0015 – 0630## 0045 – 0630##	Not in Operation		
9. Dhorpatan VNDR	283100 N * 0830200 E	8950ft 2728m	09/27	1197 × 98ft 365 × 30 m	Earthen	-	-	Not in Operation		
10. Dolpa VNDP	285909 N * 0824909 E	8212ft 2503m	16/34	1837 × 65ft 560 × 20m	AC	122.5 MHZ	0015 – 0630## 0045 – 0630##	In Operation	Fire Extinguishers available.	◆1 Aerodrome Data:
11. Doti VNDT	291547 N * 0805610 E	1893ft 577m	14/32	1607 × 65ft 490 × 20m	AC	122.5 MHZ	0015 – 0630## 0045 – 0630##	In Operation	Fire Extinguishers (wheel type fire extinguishers also) available.	

AFIS AERODROMES location Indicator	Aerodrome Reference Point	Elevation Ft m	RWY			Radio Com and NAV Aids		Aerodrome Status	RFFS	Remarks
			Designation	Dimension Ft m	Surface	Frequency	Operating Hrs			
12. Falgunanda Sukilumba VNFN	265238 N * 0875419 E	2789 ft. 850m	08/26	2198 × 65ft 670 × 20m	AC	122.5 MHZ	0015 – 0630## 0045 – 0630##	In Operation		<b>One-Way Approach (RWY 26)</b> <b>Airport Location : Ilam</b> <b>◆4 Aerodrome Data :</b>
13. Gorkha VNGK	280220 N * 0842757 E	1455ft 445m	02/20	3500 × 150ft 1067 × 46m	Earthen	-	-	Not in Operation		
14. Gulmi Resunga VNRG	280130 N * 0831512 E	5017ft 1526m	15/33	1706 × 65ft 520 × 20m	Earthen	-	0015 – 0630## 0045 – 0630##	Not in Operation		<b>Location:</b> 5km South from Palpa Tamghas Road <b>◆5 Aerodrome Data :</b>
15. Jiri VNJI	273733 N * 0861350 E	6063ft 1848m	14/32	1197 × 59ft 365 × 18m	Earthen	-	-	Not in Operation		
16. Jomsom VNJS	284652 N * 0834321 E	8976ft 2736m	06/24	2657 × 65ft 810 × 20m	AC	122.5 MHZ	0015 – 0630## 0045 – 0630##	In Operation	Fire Service (ULHPS), Complementary Extinguishing Agents and Fire Extinguishers (wheel type fire extinguishers also) available.	<b>◆3 Aerodrome Data:</b> <b>⊕3 Approach &amp; Runway Lighting :</b> <b>Details of Aerodrome Chart - ICAO is on page AFIS AD 2-8</b>
17. Jumla VNJL	291626 N * 0821123 E	7792ft 2375m	09/27	2214 × 65ft 675 × 20m	AC	122.5 MHZ	<b>16 Feb - 15 Nov</b> <b>1<sup>st</sup> Shift</b> 0015 UTC - 0630 UTC <b>2<sup>nd</sup> Shift</b> 0630 UTC - 1245 UTC <b>16 Nov - 15 Feb</b> <b>1<sup>st</sup> Shift</b> 0045 UTC - 0630 UTC <b>2<sup>nd</sup> Shift</b> 0630 UTC - 1215 UTC	In Operation	Fire Service (ULHPS), Complementary Extinguishing Agents and Fire Extinguishers (wheel type fire extinguishers also) available.	<b>⊕2 Approach &amp; Runway Lighting and other lighting :</b>
18. Kangel Danda VNKL	272500 N 0863818E	6880ft 2097m	11/29	1706 × 85ft 520 × 26m	Earthen	122.3 MHZ	0015 – 0630## 0045 – 0630##	Not in Operation	Fire Extinguishers available	
19. Khani Danda Manmaya VNKD	271051 N 0864611 E	4435ft 1357m	08/26	1903 × 82ft 580 × 25m	AC	122.5 MHZ	0015 – 0630## 0045 – 0630##	In Operation	Fire Extinguishers available	
20. Khiji Chandeshwori VNKC	272721 N * 0861830 E	6791 ft. 2070m	15/33	1903 × 65ft 580 × 20m	Gravelled	-	0015 – 0630## 0045 – 0630##	Not in Operation		Location: Province No. 1 Zone : Sagarmatha District : Okhaldhunga <b>◆6 Aerodrome Data :</b>

AFIS AERODROMES location Indicator	Aerodrome Reference Point	Elevation Ft m	RWY			Radio Com and NAV Aids		Aerodrome Status	RFFS	Remarks
			Designation Ft m	Dimension Ft m	Surface	Frequency	Operating Hrs			
21. Lamidada VNLD	271511 N * 0864012 E	4035ft 1230m	08/26	1706 × 65.ft 520× 20m	AC	122.5 MHZ	0415 – 1115### 0415 – 1015###	Not in Operation	Fire Extinguishers available.	<b>TWY Dimension / Surface Type :</b> 20×25m/ Asphalt Concrete <b>Apron Surface Type:</b> Asphalt Concrete Turning Pad available at Bothends of Runway
22. Langtang VNLT	281200 N 0853600 E	11998ft 3658m	09/27	1378 × 100ft 420× 30m	Earthen	-	-	Not in Operation		
23. Mahendranagar VNMN	285748 N * 0800953 E	709ft 216m	17/35	2900 × 100ft 884× 30m	Earthen	122.3 MHZ	0015 – 0630## 0045 – 0630##	Not in Operation		
24. Manang VNMA	283829 N * 0840521 E	11093ft 3381m	11/29	2952 × 65 ft 900 × 20m	AC	118.3 MHZ	0015 – 0630## 0045 – 0630##	Not in Operation		
25. Masinechaur VNMC	290331 N * 0824441 E	9200ft 2804m	14/32	1968 × 98ft 600 × 30m	Gravel		0015 – 0630## 0045 – 0630##	Not in Operation		Apron Dimension 70 × 40m 230 × 131ft
26. Meghauli VNMG	273438N* 0841342 E	498ft 152m	08/26	3500×150ft 1067×46m	Earthen	122.5MHZ	0015 – 0630## 0045 – 0630##	Not in Operation		
27. Phaplu VNPL	273053 N * 0863510 E	8097ft 2468m	02/20	2230 × 65ft 680 × 20m	AC	122.5 MHZ	0015 – 0630## 0045 – 0630##	In Operation	Fire Extinguishers (wheel type fire extinguishers also) available.	
28. Ramechhap VNRC	272338 N * 0860341 E	1620ft 494m	03/21	1738 × 65ft 530 × 20m	AC	122.5 MHZ	0015 – 0630## 0045 – 0630##	In Operation	Fire Service (ULHPS), Complementary Extinguishing Agents and Fire Extinguishers (wheel type fire extinguishers also) available.	<b>Apron</b> For 4 nos. of twinotter Aircraft 328 x164 ft/100 x15)m <b>Runway Slope:</b>  0.35% Upward from South to North <b>Taxiway:</b> 98x59ft/30x18)m <b>Fuel Type :</b> Jet A-1 <b>Fuelling facilities/capacity</b> <b>Storage Capacity (KL):</b> Physical -NIL, Mobile-39 <b>Storage Type:</b> Refueller <b>Refueller Details:</b> AR25 (16KL), AR13 (12KL), AR32 (11KL)

AFIS AERODROMES location Indicator	Aerodrome Reference Point	Elevation Ft m	RWY			Radio Com and NAV Aids		Aerodrome Status	RFFS	Remarks
			Designation	Dimension Ft m	Surface	Frequency	Operating Hrs			
29. Rara VNRR	293100 N * 0820900 E	8924ft 2720m	18/36	1870 × 65ft 570 × 20m	AC	122.5 MHZ	0015 – 0630## 0045 – 0630##	In Operation	Fire Extinguishers (wheel type fire extinguishers also) available.	T/O RWY 36 Land RWY 18 upslope 6.5%
30. Rolpa VNRP	281659 N * 0824659 E	4088ft 1250m	06/24	1499 × 100ft 457 × 30m	Earthen	-	-	Not in Operation		
31. Rumjatar VNRT	271813 N * 0863302 E	4498ft 1371m	17/35	1902 × 65ft 580 × 20m	AC	122.3 MHZ	0015 – 0630## 0045 – 0630##	Not in Operation	Fire Extinguishers (wheel type fire extinguishers also) available.	Take Off RWY 17 Landing RWY 35
32. Salley VNSL	283814 N * 0822658 E	5184ft 1580m	16/34	1902 × 65ft 580 × 20m	AC	122.5 MHZ	0015 – 0630## 0045 – 0630##	In Operation	Fire Extinguishers (wheel type fire extinguishers also) available.	
33. Sanfebagar VNSR	291411 N * 0811258 E	1959ft 597m	02/20	1804 × 65ft 550 × 20m	AC	122.5 MHZ	0015 – 0630## 0045 – 0630##	In Operation	Fire Extinguishers (wheel type fire extinguishers also) available.	Apron Dimension: 80 × 35m Take off RWY : 20 RWY Slope: 0.6% upslope from South to North
34. Simikot VNST	295816 N * 0814908 E	9751ft 2971m	10/28	2132 × 65ft 650 × 20m	AC	122.5 MHZ	0015 – 0630## 0045 – 0630##	In Operation	Fire Service (ULHPS), Complementary Extinguishing Agents and Fire Extinguishers (wheel type fire extinguishers also) available.	⊕ 1 <b>Approach &amp; Runway Lighting :</b>
35. Syangboche VNSB	274837 N * 0864243 E	12348ft 3748m	13/31	1328 × 100ft 405 × 30m	Earthen	-	-	Not in Operation		
36. Taplejung VNTJ	272103 N * 0874145 E	7936ft 2419m	07/25	2296 × 65ft 700 × 20m	AC	122.5 MHZ	0015 – 0630## 0045 – 0630##	In Operation	Fire Extinguishers (wheel type fire extinguishers also) available.	Landing RWY 07 Take-off RWY 25
37. Thamkharka VNTH	270258 N * 0865127 E	5252ft 1601m	18/36	2034 × 65ft 620 × 20m	AC	122.3 MHZ	0015 – 0630## 0045 – 0630##	In Operation		◆ 2 <b>Aerodrome Data :</b>

AFIS AERODROMES location Indicator	Aerodrome Reference Point	Elevation Ft m	RWY			Radio Com and NAV Aids		Aerodrome Status	RFFS	Remarks
			Designation	Dimension Ft m	Surface	Frequency	Operating Hrs			
38. Tenzing– Hillary Airport VNLK	274116 N * 0864353 E	9337ft 2846m	06/24	1729 × 65ft 527 × 20m	AC	120.150 MHZ	<b>16 Feb - 15 Nov</b> <b>1<sup>st</sup> Shift</b> 0015 UTC - 0630 UTC <b>2<sup>nd</sup> Shift</b> 0630 UTC - 1245 UTC  <b>16 Nov - 15 Feb</b> <b>1<sup>st</sup> Shift</b> 0045 UTC - 0630 UTC <b>2<sup>nd</sup> Shift</b> 0630 UTC - 1215 UTC	In Operation	Fire Service (ULHPS), Complementary Extinguishing Agents and Fire Extinguishers available.	T/O RWY 24 Land RWY 06 11.7% upslope. <b>Details of FIZ is on page AFIS AD 2-7</b> <b>⊕4 Approach &amp; Runway Lighting :</b>
39. Tikapur VNTP	283120 N * 0810720 E	515ft 157m	05/23	1800 × 100ft 573 × 30m	Gravel	-	0015 – 0630## 0045 – 0630##	Not in Operation		

Note:- Operating Status of AFIS/STOL aerodromes may be changed and will be notified by NOTAM

\* WGS 84 Coordinates

## Operation-hour fixed as follows:-

- |   |                   |                 |
|---|-------------------|-----------------|
| 1 | 16 Feb to 15 Nov. | 0015 - 0630 UTC |
| 2 | 16 Nov to 15 Feb  | 0045 - 0630 UTC |

### Operation-hour fixed as follows:-

- |   |                   |                 |
|---|-------------------|-----------------|
| 1 | 30 Jan to 01 Nov. | 0415 - 1115 UTC |
| 2 | 02 Nov to 29 Jan  | 0415 - 1015 UTC |

⊕ 1 Approach and Runway Lighting System of Simikot Airport (VNST):

RWY Designation	THR LGT color WBAR	RWY End LGT color	Remarks
10	NIL	NIL	
28	RTIL Flashing White	Red	

⊕ 2 Approach & Runway Lighting of Jumla Airport (VNJL) :

RWY Designation	THR LGT color WBAR	RWY End LGT color	Other Lighting
09	Green	Red	1. Runway Threshold Identification Light (RTIL) Location and Characteristics 2. Location : RWY Threshold 09/27and Flashing white light with flash frequency 120 per minute.
27	Green	Red	

⊕ 3 Approach & Runway Lighting of Jomsom Airport (VNJS) :

RWY Designation	THR LGT color WBAR	RWY End LGT color
06	NIL	Red
24	WBAR Green	NIL

⊕ 4 Approach and Runway Lighting System of Tenzing-Hillary Airport (VNLK):

RWY Designation	THR LGT color WBAR	RWY edge LGT LEN, spacing color, INTST	RWY End LGT color
06	Green	527m ×20m White Yellow	Red
24	NIL	527m×20m Yellow	Red

◆1 Aerodrome Data of Dolpa Airport (VNDP) :

RWY Designation	THR Elevation	Strip Dimension
6	2482 m (Approach)	620m×50m (Graded)
34	2503 m (Take Off)	

◆2 Aerodrome Data of Thamkharka Airport (VNTH):

RWY Designation	THR Coordinates Elevation	Strip Dimension	RWY Longitudinal Slope	RWY Transverse Slope
18	270306 N 0865128 E*/ 1601m (5252 ft.)	720m×60m	2.00% upward slope from RWY 36	1.5%
36	270245 N 0865128E*/ 1588 m ((5210 ft.) (Approach)			

◆3 Aerodrome Data of Jomsom Airport (VNJS)

a. Declared Distance of Runway:

Runway	TORA (m)	TODA (m)	ASDA (m)	LDA (m)
RWY 24	810	810	810	770
RWY 06	810	810	810	810
Threshold Displaced at RWY 24 by 40m				

b. Co-ordinates:

Threshold	Longitude	Latitude	Elevation (m)
RWY 24	083°43'34.36"	28°46'56.14"	2743.0050
RWY 06	083°43'11"	28°46'42.24"	2742.0670

◆4 Aerodrome Data of Falgunanda Sukilumba Airport (VNFN)

TWY Dimension	Apron Dimension	Approach/Take-off	RWY Longitudinal Gradient	RWY Cross-Slope (Camber)
18m×20m	70m×35m	One-Way	6.9%	1.5%

◆5 Aerodrome Data of Gulmi (Resunga) Airport (VNRG):


RWY Designation	THR Coordinates / Elevation	Aerodrome Elevation	Strip Dimension	TWY Dimension	Apron Dimension	RWY Slope
15 ( Take off RWY)	280132.06N 0831511.33 E*/ 1529.3m AMSL	1529.3m	560m×30m (Graded Portion)	20m×20m	60m×30m	4% Uniform
33 ( Approach RWY)	280117.58 N 0831520.40E*/ 1508.5m AMSL					

◆6 Aerodrome Data of Khiji Chandeshwori Airport (VNKC):

TWY Dimension	Apron Dimension	Approach/Take-off	RWY Longitudinal Gradient	RWY Cross-Slope (Camber)
20m×20m	55m×25m	One-Way	4%	1.5%

Operational maintenance of and security at all aerodromes which are not in operation are not the responsibility of CAAN. Operators are required to acquire essential information prior to using these aerodromes.

**FLIGHT INFORMATION ZONE (FIZ)  
TENZING HILLARY AIRPORT, LUKLA**




Airspace	Vertical Limit	Lateral Limit	Remarks
Flight Information Zone (FIZ)	12500 ft AMSL GND	5 NM centered with reference to middle of the RWY (27° 41' 12.62" N 086° 43' 46.70" E)	



Aerodrome Chart - ICAO

LAYOUT AND DATA OF JOMJOM AIRPORT PAVEMENT



DECLARED DISTANCE OF RUNWAY				
RUNWAY	TORA(m)	ASDA(m)	TODA(m)	LDA(m)
RWY24	810	810	810	770
RWY06	810	810	810	810

THRESHOLD DISPLACED AT RWY24 BY 40m.

CO-ORDINATES			
THRESHOLD	Longitude	Latitude	Elevation
RWY24	83°43'34.36"	28°46'56.14"	2743.0050
RWY06	83°43'11"	28°46'42.24"	2742.0670