

TEL: 977-4257667 4262518 FAX: 977-1-4257668 AFS: VNKTYOYX caanais@caanepal.gov.np	NEPAL AERONAUTICAL INFORMATION MANAGEMENT DEPARTMENT CIVIL AVIATION AUTHORITY OF NEPAL BABARMAHAL KATHMANDU	AIRAC AIP AMENDMENT 08/21 1 July 2021
---	--	---

EFFECTIVE DATE : 12 AUGUST, 2021

1. Contents

- 1.1 Updated Aerodrome Obstacle Data of Janakpur Airport (VNJP)
- 1.2 Surface Strength (PCN) of RWY, TWY and Apron of Janakpur Airport (VNJP).
- 1.3 Surface Strength (PCN) of RWY, TWY and Apron of Simara Airport (VNSI).

2. On 12 August 2021, remove and insert following pages.

Remove the following pages:			Insert the following pages:	
GENERAL (GEN)				
GEN 0.4-5	30 APRIL 2021		GEN 0.4-5	12 AUGUST 2021
GEN 0.4-6	30 APRIL 2021		GEN 0.4-6	12 AUGUST 2021
VNJP AD				
VNJP AD 2-2	30 June 2020		VNJP AD 2-2	12 AUGUST 2021
VNJP AD 2-3	26 March 2020		VNJP AD 2-3	12 AUGUST 2021
VNJP AD 2-4	26 March 2020		VNJP AD 2-4	12 AUGUST 2021
VNJP AD 2-5	26 March 2020		VNJP AD 2-5	12 AUGUST 2021
VNJP AD 2-6	26 March 2020		VNJP AD 2-6	12 AUGUST 2021
VNJP AD 2-7	26 March 2020		VNJP AD 2-7	12 AUGUST 2021
VNSI AD				
VNSI AD 2-2	30 June 2020		VNSI AD 2-2	12 AUGUST 2021
VNSI AD 2-5	30 June 2020		VNSI AD 2-5	12 AUGUST 2021

**VNBW
AD 2**

VNBW AD 2 – 1	30 JUNE 2020	VNVT AD 2 – 12	30 APRIL 2021
VNBW AD 2 – 2	30 JUNE 2020	VNVT AD 2 – 13	30 APRIL 2021
VNBW AD 2 – 3	30 APRIL 2019	VNVT AD 2 – 14	30 APRIL 2021
VNBW AD 2 – 4	30 APRIL 2019	VNVT AD 2 – 15	30 APRIL 2021
VNBW AD 2 – 5	01 JULY 2018	VNVT AD 2 – 16	30 APRIL 2021
VNBW AD 2 – 6	30 APRIL 2019	VNVT AD 2 – 17	30 APRIL 2021
VNBW AD 2 – 7	01 JULY 2018	VNVT AD 2 – 18	26 MARCH 2020
VNBW AD 2 – 8	01 JULY 2018	VNVT AD 2 – 19	30 APRIL 2021
VNBW AD 2 – 9	01 JULY 2018	VNVT AD 2 – 20	30 APRIL 2021
VNBW AD 2 – 10	01 JULY 2018	VNVT AD 2 – 21	30 APRIL 2021
VNBW AD 2 – 11	01 JULY 2018	VNVT AD 2 – 22	30 APRIL 2021
VNBW AD 2 – 12	10 SEPTEMBER 2020		
VNBW AD 2 – 13	01 JULY 2018		
VNBW AD 2 – 14	10 SEPTEMBER 2020		
VNBW AD 2 – 15	01 JULY 2018		
VNBW AD 2 – 16	10 SEPTEMBER 2020		
VNBW AD 2 – 17	01 JULY 2018		

**VNBP
AD 2**

VNBP AD 2 – 1	30 JUNE 2020
VNBP AD 2 – 2	30 JUNE 2020
VNBP AD 2 – 3	01 JULY 2018
VNBP AD 2 – 4	30 APRIL 2019
VNBP AD 2 – 5	30 APRIL 2019
VNBP AD 2 – 6	01 JULY 2018
VNBP AD 2 – 7	01 JULY 2018
VNBP AD 2 – 8	01 JULY 2018
VNBP AD 2 – 9	01 JULY 2018
VNBP AD 2 – 10	01 JULY 2018
VNBP AD 2 – 11	01 JULY 2018
VNBP AD 2 – 12	01 JULY 2018

**VNJP
AD 2**

VNJP AD 2 – 1	30 JUNE 2020
VNJP AD 2 – 2	12 AUGUST 2021
VNJP AD 2 – 3	12 AUGUST 2021
VNJP AD 2 – 4	12 AUGUST 2021
VNJP AD 2 – 5	12 AUGUST 2021
VNJP AD 2 – 6	12 AUGUST 2021
VNJP AD 2 – 7	12 AUGUST 2021
VNJP AD 2 – 8	26 MARCH 2020
VNJP AD 2 – 9	26 MARCH 2020
VNJP AD 2 – 10	26 MARCH 2020
VNJP AD 2 – 11	26 MARCH 2020
VNJP AD 2 – 12	26 MARCH 2020
VNJP AD 2 – 13	26 MARCH 2020
VNJP AD 2 – 14	26 MARCH 2020
VNJP AD 2 – 15	26 MARCH 2020
VNJP AD 2 – 16	26 MARCH 2020
VNJP AD 2 – 17	30 APRIL 2021
VNJP AD 2 – 18	30 APRIL 2021
VNJP AD 2 – 19	30 APRIL 2021
VNJP AD 2 – 20	26 MARCH 2020
VNJP AD 2 – 21	26 MARCH 2020
VNJP AD 2 – 22	26 MARCH 2020
VNJP AD 2 – 23	30 APRIL 2021
VNJP AD 2 – 24	26 MARCH 2020

**VNVT
AD 2**

VNVT AD 2 – 1	30 APRIL 2021
VNVT AD 2 – 2	30 APRIL 2021
VNVT AD 2 – 3	30 APRIL 2019
VNVT AD 2 – 4	30 APRIL 2019
VNVT AD 2 – 5	30 APRIL 2019
VNVT AD 2 – 6	30 APRIL 2019
VNVT AD 2 – 7	30 APRIL 2019
VNVT AD 2 – 8	01 JULY 2018
VNVT AD 2 – 9	30 APRIL 2019
VNVT AD 2 – 10	30 APRIL 2021
VNVT AD 2 – 11	30 APRIL 2021

VNNG AD 2	VNNG AD 2 – 1	30 JUNE 2020	VNSI AD 2	VNSI AD 2 – 10	30 JUNE 2020
	VNNG AD 2 – 2	30 JUNE 2020		VNSI AD 2 – 11	30 JUNE 2020
	VNNG AD 2 – 3	01 JULY2018		VNSI AD 2 – 12	30 APRIL 2021
	VNNG AD 2 – 4	30 JUNE 2020		VNSI AD 2 – 13	30 APRIL 2021
	VNNG AD 2 – 5	30 APRIL 2019		VNSI AD 2 – 14	30 APRIL 2021
	VNNG AD 2 – 6	01 JULY2018		VNSI AD 2 – 15	30 JUNE 2020
	VNNG AD 2 – 7	01 JULY2018		VNSI AD 2 – 16	30 APRIL 2021
	VNNG AD 2 – 8	01 JULY2018	VNCG AD 2	VNCG AD 2 – 1	30 APRIL 2021
	VNNG AD 2 – 9	01 JULY2018		VNCG AD 2 – 2	30 JUNE 2020
	VNNG AD 2 – 10	02 JANUARY 2020		VNCG AD 2 – 3	30 APRIL 2019
	VNNG AD 2 – 11	01 JULY2018		VNCG AD 2 – 4	30 APRIL 2019
	VNNG AD 2 – 12	01 JULY2018		VNCG AD 2 – 5	30 APRIL 2021
	VNNG AD 2 – 13	01 JULY2018		VNCG AD 2 – 6	30 APRIL 2019
	VNNG AD 2 – 14	01 JULY2018		VNCG AD 2 – 7	30 APRIL 2019
	VNNG AD 2 – 15	01 JULY2018		VNCG AD 2 – 8	30 APRIL 2019
	VNNG AD 2 – 16	01 JULY2018		VNCG AD 2 – 9	5 NOVEMBER 2020
	VNNG AD 2 – 17	01 JULY2018		VNCG AD 2 – 10	30 APRIL 2019
VNPK AD 2	VNPK AD 2 – 1	30 JUNE 2020		VNCG AD 2 – 11	5 NOVEMBER 2020
	VNPK AD 2 – 2	30 JUNE 2020		VNCG AD 2 – 12	5 NOVEMBER 2020
	VNPK AD 2 – 3	01 JULY2018		VNCG AD 2 – 13	5 NOVEMBER 2020
	VNPK AD 2 – 4	30 APRIL 2019		VNCG AD 2 – 14	30 APRIL 2021
	VNPK AD 2 – 5	30 JUNE 2020		VNCG AD 2 – 15	30 APRIL 2021
	VNPK AD 2 – 6	01 JULY2018		VNCG AD 2 – 16	30 APRIL 2021
	VNPK AD 2 – 7	01 JULY2018		VNCG AD 2 – 17	30 APRIL 2021
	VNPK AD 2 – 8	01 JULY2018		VNCG AD 2 – 18	30 APRIL 2021
	VNPK AD 2 – 9	01 JULY2018	VNSK AD 2	VNSK AD 2 – 1	30 JUNE 2020
	VNPK AD 2 – 10	01 JULY2018		VNSK AD 2 – 2	30 JUNE 2020
	VNPK AD 2 – 11	01 JULY2018		VNSK AD 2 – 3	30 JUNE 2020
VNSI AD 2	VNSI AD 2 – 1	30 APRIL 2021		VNSK AD 2 – 4	10 SEPTEMBER 2020
	VNSI AD 2 – 2	12 AUGUST 2021		VNSK AD 2 – 5	30 APRIL 2019
	VNSI AD 2 – 3	30 APRIL 2021		VNSK AD 2 – 6	01 JULY2018
	VNSI AD 2 – 4	30 APRIL 2021		VNSK AD 2 – 7	01 JULY2018
	VNSI AD 2 – 5	12 AUGUST 2021		VNSK AD 2 – 8	01 JULY2018
	VNSI AD 2 – 6	30 APRIL 2021		VNSK AD 2 – 9	01 JULY2018
	VNSI AD 2 – 7	30 JUNE 2020		VNSK AD 2 – 10	01 JULY2018
	VNSI AD 2 – 8	30 JUNE 2020		VNSK AD 2 – 11	01 JULY2018
	VNSI AD 2 – 9	30 JUNE 2020		VNSK AD 2 – 12	01 JULY2018

VNJP AD 2.4 HANDLING SERVICES AND FACILITIES

1.	Cargo-handling facilities	Available with local airlines operator
2.	Fuel/Oil Types	NIL
3.	Fuelling facilities/capacity	Storage Capacity (KL): Physical -NIL, Mobile-32 Storage Type: Refueller Refueller Details: AR41(16KL), AR39 (16KL)
4.	De-icing facilities	NIL
5.	Hangar space for visiting aircraft	NIL
6.	Repair facilities for visiting aircraft	NIL
7.	Remarks	-

VNJP AD 2.5 PASSENGER FACILITIES

1.	Hotels	in the city
2.	Restaurants	in the city
3.	Transportation	Taxi Service, Rickshaw from AD
4.	Medical Facilities	First Aid at AD, Hospitals in the city.
5.	Bank and Post Office	NIL
6.	Tourist Office	In the city.
7.	Remarks	-

VNJP AD 2.6 RESCUE AND FIRE FIGHTING SERVICE

1.	AD Category for fire fighting	NIL
2.	Rescue equipment	Small Fire Vehicle, Fire extinguisher and Complementary Extinguishing Agents available.
3.	Capability for removal of disabled aircraft	NIL
4.	Remarks	-

VNJP AD 2.7 SEASONAL AVAILABILITY

Aerodrome available throughout the year.
--

VNJP AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATION DATA

1.	Apron surface and strength	Surface -Asphalt Concrete, Strength - 10/F/C/Y/T
2.	Taxiway width, surface and strength	Width -15m, Surface - Asphalt Concrete, Strength - 22/F/C/Y/T
3.	Altimeter check point location and elevation	Location:-At Apron Elevation :-233 ft.
4.	VOR/INS checkpoints	NIL
5.	Remarks	-

VNJP AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1.	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	Taxiing guidance signs at intersections with TWY and RWY and at holding positions. Guide lines at apron.
2.	RWY and TWY markings and LGT	RWY: 09/27, THR TDZ, Center line, RWY edge marked. RWY: 09/27, THR edge and RWY end have Lights. TWY edge with blue lights. TWY: Center line, holding positions at all TWY/RWY intersections marked.
3.	Stop bars	
4.	Remarks	-

VNJP AD 2.10 AERODROME OBSTACLES

A. List of Obstacle Data 2018 (Janakpur Airport)

S. No.	Obstacle Name	Obstacle ID	WGS-84 Coordinates		Top Elevation (m)	Remarks
			Latitude	Longitude		
1	ATC Tower (Existing)	JP3001	26°42'38.7"N	85°55'26.6"E	81.0	
2	ATC Tower (New)	JP3002	26°42'40.4"N	85°55'26.4"E	97.5	
3	VHF Antenna Mast	JP3003	26°42'41.2"N	85°55'27.8"E	92.6	
4	NDB Mast-1	JP3004	26°42'40.9"N	85°55'18.6"E	89.0	
5	NDB Mast-2	JP3005	26°42'40.9"N	85°55'21.8"E	88.9	
6	Old NDB Mast-1	JP3006	26°42'52.4"N	85°55'40.6"E	92.8	
7	Old NDB Mast-2	JP3007	26°42'52.7"N	85°55'42.5"E	94.6	
8	Old NDB Mast-3	JP3008	26°42'55.0"N	85°55'42.8"E	95.1	
9	Office Quarter	JP3009	26°42'43.3"N	85°55'32.3"E	83.1	
10	Fire Station	JP3010	26°42'38.6"N	85°55'30.7"E	79.5	
11	Flood Light	JP3011	26°42'37.8"N	85°55'25.9"E	80.8	
12	Water Tank	JP3012	26°42'39.1"N	85°55'21.9"E	83.7	
13	House	JP3013	26°42'43"N	85°55'30.5"E	81.2	
14	Tree	JP3014	26°42'42.1"N	85°55'33.2"E	86.1	
15	Tree	JP3015	26°42'36.6"N	85°55'40.7"E	86.3	
16	NTC Tower	JP3016	26°42'37.1"N	85°55'41.8"E	82.0	
17	House	JP3017	26°42'39.8"N	85°55'41.5"E	80.6	
18	Tree	JP3018	26°42'29.7"N	85°55'44.5"E	75.9	
19	Tree	JP3020	26°42'38.2"N	85°55'47.7"E	99.1	
20	Hut	JP3024	26°42'32.8"N	85°55'48.2"E	75.7	
21	House	JP3027	26°42'30.5"N	85°55'51.4"E	80.0	
22	House	JP3029	26°42'29.7"N	85°55'49.3"E	81.6	
23	Electric Pole	JP3030	26°42'29.5"N	85°55'48.5"E	79.4	

24	Pillar on House Top	JP3031	26°42'28.6"N	85°55'48.3"E	78.9	
25	House	JP3033	26°42'29.3"N	85°55'48.1"E	76.3	
26	Tree	JP3037	26°42'25.8"N	85°55'44.1"E	89.3	
27	Tree	JP3039	26°42'24.2"N	85°55'38"E	94.9	
28	Tree	JP3040	26°42'24.9"N	85°55'36.5"E	93.5	
29	Tree	JP3041	26°42'28.3"N	85°55'38.7"E	81.3	
30	Tree	JP3042	26°42'27.3"N	85°55'37.9"E	85.8	
31	Tree	JP3043	26°42'28.0"N	85°55'34.1"E	80.3	
32	Tree	JP3044	26°42'26.9"N	85°54'57.2"E	93.6	
33	Tree	JP3047	26°42'22"N	85°54'51.1"E	95.8	
34	Tree	JP3048	26°42'23.8"N	85°54'48.7"E	89.4	
35	Tree	JP3049	26°42'22.8"N	85°54'46.4"E	87.0	
36	House	JP3050	26°42'23.8"N	85°54'46"E	77.7	
37	Tree	JP3052	26°42'27.2"N	85°54'45.7"E	85.5	
38	Electric Pole	JP3053	26°42'28.9"N	85°54'48.5"E	77.2	
39	House	JP3054	26°42'28.7"N	85°54'46.7"E	74.0	
40	House	JP3057	26°42'28.4"N	85°54'43.9"E	75.9	
41	Electric Pole	JP3058	26°42'29.6"N	85°54'46.4"E	77.7	
42	Tree	JP3059	26°42'27.9"N	85°54'39.1"E	84.4	
43	Electric Pole	JP3060	26°42'30.8"N	85°54'47.0"E	77.8	
44	Tree	JP3061	26°42'30.0"N	85°54'30.0"E	84.8	
45	Tree	JP3062	26°42'30.7"N	85°54'31.2"E	85.5	
46	Tree	JP3063	26°42'32.2"N	85°54'40"E	81.7	
47	House	JP3064	26°42'33"N	85°54'48"E	73.8	
48	Tree	JP3065	26°42'36.8"N	85°54'37.3"E	83.9	
49	Tree	JP3066	26°42'43.4"N	85°54'7.7"E	99.4	
50	Tree	JP3067	26°42'37.6"N	85°54'37.8"E	79.6	
51	Tree	JP3068	26°42'47.6"N	85°54'9.6"E	97.6	
52	Tree	JP3069	26°42'39.7"N	85°54'36.6"E	84.7	
53	Chimney	JP3070	26°43'8.9"N	85°53'29.6"E	101.4	
54	Tree	JP3071	26°42'38.2"N	85°54'44.6"E	83.5	
55	Tree	JP3072	26°42'45.9"N	85°54'34.6"E	87.6	
56	Tree	JP3073	26°42'41.6"N	85°54'41.7"E	86.1	
57	Temple	JP3074	26°42'37.6"N	85°54'50.1"E	83.1	
58	Tree (near temple)	JP3075 ²	26°42'37.4"N	85°54'50.7"E	84.1	
59	Tree	JP3076	26°42'41.3"N	85°54'53.2"E	87.6	
60	Tree	JP3077	26°42'40.4"N	85°54'55.7"E	90.5	
61	Tree	JP3078	26°42'41.6"N	85°55'1.1"E	89.2	
62	Tree	JP3079	26°42'37.9"N	85°55'0.9"E	92.0	
63	House	JP3080	26°42'46.1"N	85°55'10.1"E	83.6	
64	House	JP3081	26°42'39.6"N	85°55'7.3"E	79.9	
65	Tree	JP3082	26°42'42.7"N	85°55'18"E	99.0	
66	Tree	JP3083	26°42'36.1"N	85°55'6.0"E	85.1	
67	Tree	JP3084	26°42'27.2"N	85°55'21.9"E	91.6	
68	Tree	JP3085	26°42'27.6"N	85°55'19.8"E	90.1	
69	Chimney	JP3086	26°42'3.1"N	85°55'16.4"E	97.5	
70	Tree	JP3087	26°42'27.6"N	85°55'17.5"E	92.9	

71	Tree	JP3088	26°42'27.4"N	85°55'15.5"E	88.4	
72	Tree	JP3089	26°42'27.4"N	85°55'9.2"E	90.1	
73	Tree	JP3090	26°42'28.1"N	85°55'6.1"E	95.4	
74	Tree	JP3091	26°42'36.9"N	85°55'16.3"E	83.9	
75	Tree	JP3092	26°42'42.2"N	85°55'16.5"E	98.0	
76	Tree	JP3093	26°42'43.0"N	85°55'21.4"E	91.3	
77	Mobile Tower	JP3094	26°42'44.8"N	85°55'50.3"E	92.9	
78	Water Tank	JP3095	26°42'41.5"N	85°55'45"E	86.8	
79	House	JP3096	26°42'40.5"N	85°55'41.3"E	81.2	
80	District Education Office	JP3097	26°42'23.3"N	85°55'59.1"E	84.8	
81	Training Centre	JP3098	26°42'22.5"N	85°55'56.4"E	88.9	
82	Tree (Peepal)	JP3099	26°42'27.7"N	85°56'3.9"E	82.8	
83	Tree	JP3100	26°42'25.0"N	85°56'19.2"E	98.6	
84	Mobile Tower	JP3102	26°42'9.8"N	85°56'8.1"E	95.7	
85	House	JP3103	26°42'39.5"N	85°55'52.4"E	85.2	
86	Mobile Tower	JP3104	26°43'3.5"N	85°55'50.9"E	95.5	
87	House	JP3105	26°42'30.8"N	85°55'51.2"E	78.9	
88	House	JP3106	26°42'31.2"N	85°55'52.3"E	79.3	
89	House	JP3107	26°42'31.2"N	85°55'53.0"E	78.4	
90	House	JP3108	26°42'31.2"N	85°55'53.9"E	79.4	
91	House	JP3109	26°42'32.0"N	85°55'53.9"E	79.7	
92	House	JP3110	26°42'34.0"N	85°55'52.9"E	81.9	
93	House	JP3111	26°42'35"N	85°55'51.2"E	82.8	
94	House	JP3112	26°42'32.2"N	85°55'56.5"E	80.8	
95	School	JP3113	26°42'26.2"N	85°56'1.1"E	78.6	
96	Chimney	JP3114	26°41'29.3"N	85°54'2.5"E	96.6	
97	Chimney	JP3115	26°41'14.5"N	85°54'14.4"E	100.5	
98	Chimney	JP3116	26°41'25.1"N	85°53'48.4"E	98.1	
99	Chimney	JP3117	26°41'44.8"N	85°53'26.8"E	98.2	
100	Chimney	JP3118	26°41'39.9"N	85°52'51.1"E	96.1	
101	Chimney	JP3119	26°42'31.2"N	85°52'26.6"E	93.5	
102	Mobile Tower	JP3120	26°43'26.3"N	85°55'2.2"E	109.5	
103	Mobile Tower	JP3121	26°43'13.9"N	85°55'2.5"E	114.9	
104	FM Tower	JP3122	26°43'29.1"N	85°55'5.0"E	114.4	
105	Mobile Tower	JP3123	26°43'54.3"N	85°55'5.6"E	103.0	
106	Tower	JP3124	26°44'3.7"N	85°55'7"E	125.5	
107	Nepal Telecom Tower 1	JP3125	26°43'34.9"N	85°55'16.4"E	166.6	Highest Obstacle
108	Nepal Telecom Tower 2	JP3126	26°43'34.1"N	85°55'16.7"E	158.5	
109	Mobile Tower	JP3127	26°43'18.8"N	85°55'35.1"E	96.7	
110	FM Tower	JP3128	26°43'19.5"N	85°55'40.8"E	121.5	
111	Mobile Tower	JP3129	26°43'47"N	85°55'40.8"E	103.3	
112	Gate (Ramananda Chowk)	JP3130	26°44'9.4"N	85°55'7.9"E	96.9	
113	FM Tower	JP3131	26°43'57.9"N	85°55'28.5"E	117.3	
114	Water Tank	JP3132	26°43'57.9"N	85°55'32.3"E	105.4	
115	FM Tower	JP3133	26°43'52.8"N	85°55'51.6"E	110.4	
116	Mobile Tower	JP3134	26°44'7.1"N	85°55'26.2"E	99.8	

117	FM Tower	JP3135	26°43'57.8"N	85°55'48.2"E	117.2	
118	FM Tower	JP3136	26°43'56.9"N	85°55'57.6"E	107.8	
119	Mobile Tower	JP3137	26°43'56.7"N	85°56'0.4"E	111.8	
120	FM Tower	JP3138	26°43'59.2"N	85°55'53.2"E	117.7	
121	Mobile Tower	JP3139	26°44'2.4"N	85°55'59.8"E	107.3	
122	Mobile Tower	JP3140	26°44'3.9"N	85°55'50.6"E	109.1	
123	Mobile Tower	JP3141	26°44'11.1"N	85°55'1.7"E	99.0	
124	Mobile Tower	JP3142	26°44'12.3"N	85°56'5.6"E	118.3	
125	Water Tank	JP3143	26°44'13.7"N	85°55'13.9"E	102.4	
126	House	JP3144	26°44'23.4"N	85°55'22.6"E	101.2	
127	Mobile Tower	JP3145	26°44'17.1"N	85°55'12.6"E	99.5	
128	Mobile Tower	JP3146	26°44'35.5"N	85°55'25.9"E	113.3	
129	Mobile Tower	JP3147	26°44'37.4"N	85°55'26.3"E	106.5	
130	Mobile Tower	JP3148	26°44'32.4"N	85°55'21.7"E	102.6	
131	FM Tower	JP3149	26°44'39.8"N	85°55'13.9"E	117.3	
132	Chimney	JP3150	26°45'19.9"N	85°53'25.0"E	110.4	
133	Chimney	JP3151	26°44'49.7"N	85°53'6.5"E	106.0	
134	Chimney	JP3152	26°44'28.3"N	85°53'52.8"E	110.6	
135	Chimney	JP3153	26°43'19.6"N	85°53'54.7"E	99.1	
136	House	JP3154	26°42'18.8"N	85°56'2.3"E	91.5	
137	Tree	JP3155	26°42'26.7"N	85°55'24.5"E	93.8	
138	Tree (Bamboo)	JP3156 ⁴	26°42'27.5"N	85°54'48"E	84.6	
139	House	JP3159	26°42'34.2"N	85°55'48.5"E	80.2	
140	House	JP3160	26°42'35.4"N	85°55'53.3"E	83.4	
141	Sita Palace Hotel	JP3161	26°44'10.7"N	85°55'05.7"E	96.8	
142	School	JP3162	26°44'10.4"N	85°55'18.3"E	97.6	
143	Hotel SitaSharan	JP3163	26°43'15.4"N	85°54'42.7"E	93.1	

VNJP AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1.	Associated MET Office	Met Office, Janakpur Airport
2.	Hours of service MET office outside hours	As ATS
3.	Office responsible for TAF preparation periods of validity	NIL
4.	Type of landing forecast interval of issuance	NIL
5.	Briefing/Consultation provided	METAR
6.	Flight documentation language(s) used	Charts or Tabular forms Text English
7.	Charts and other information available for briefing or consultation	NIL
8.	Supplementary equipment available for providing information	Self- briefing terminal
9.	ATS units provided with information	Janakpur TWR
10.	Additional information (limitation of service, etc.)	--

VNJP AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designation RWY NR	TRUE & MAG BRG	Dimensions of RWY M	Strength (PCN) and surface of RWY and SWY	THR Coordinates	THR elevation
1	2	3	4	5	6
09	092	1300 x 30	14/F/C/Y/T Asphalt Concrete	26 42 32.01N* 085 54 55.09E	75.46 m AMSL
27	272	1300 x 30	14/F/C/Y/T Asphalt Concrete	26 42 31.61N* 085 55 42.41E	75.43 m AMSL
Slope of RWY-SWY	SWY Dimensions M	CWY Dimensions M	Strip Dimensions M	OFZ	Remarks
7	8	9	10	11	12
.....					

VNJP AD 2.13 DECLARED DISTANCES

RWY Designator	TORA m	TODA m	ASDA m	LDA m	Remarks
1	2	3	4	5	6
09	1300	1300	1300	1300	
27	1300	1300	1300	1300	

VNJP AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator 1	APCH LGT type LEN INTST	THR LGT color WBAR	VASIS PAPI	TDZ LGT LEN	RWY Center Line LGT Length, spacing color, INTST	RWY edge LGT LEN, spacing color INTST	RWY End LGT color	SWY LGT LEN M color	Remarks
	2	3	4	5	6	7	8	9	
09	NIL	Green	PAPI 3.0°	NIL	NIL	1306m, 60m, White, LIM	NIL	NIL	
27	NIL	Green	PAPI 3.0°	NIL	NIL	1306m, 60m, White, LIM	NIL	NIL	

VNJP AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1.	ABN Location, characteristics and hours of operation	ABN: At above Aerodrome Control Tower, Green flashes alternating with white flashes, 28 flashes per minute normally after sunset.
2.	LDI Location and LGT Anemometer Location and LGT	LDI: Anemometer: TWR BLDG, not lighted
3.	TWY edge and Centre line lighting	Edge: All TWY and Centre Line: NIL
4.	Secondary power supply / switch over time	Stand-by Diesel Generator to all lighting and Uninterrupted Power Supply to Airfield Ground Lighting (AGL) System at AD with 30 minutes back up.
5.	Runway Threshold Identification Light (RTIL) Location and Characteristics	Location : RWY Threshold 09/27, Flashing white light with flash frequency 120 per minute.

VNSI AD 2.4 HANDLING SERVICES AND FACILITIES

1.	Cargo-handling facilities	Available with local airlines operator
2.	Fuel/Oil Types	NIL
3.	Fuelling facilities/capacity	NIL
4.	De-icing facilities	NIL
5.	Hangar space for visiting aircraft	NIL
6.	Repair facilities for visiting aircraft	NIL
7.	Remarks	-

VNSI AD 2.5 PASSENGER FACILITIES

1.	Hotels	in the city
2.	Restaurants	in the city
3.	Transportation	Taxi Service, Bus from AD
4.	Medical Facilities	First Aid at AD, Hospitals in the city.
5.	Bank and Post Office	NIL
6.	Tourist Office	In the city.
7.	Remarks	-

VNSI AD 2.6 RESCUE AND FIRE FIGHTING SERVICE

1.	AD Category for fire fighting	Category V
2.	Rescue equipment	1 Fire Vehicle, 1 Ambulance, Fire extinguisher and Complementary Extinguishing Agents available.
3.	Capability for removal of disabled aircraft	NIL
4.	Remarks	-

VNSI AD 2.7 SEASONAL AVAILABILITY

Aerodrome available throughout the year.
--

VNSI AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATION DATA

1.	Apron surface and strength	Surface - Asphalt Concrete, Strength - 12/F/C/Y/T
2.	Taxiway width, surface and strength	Width - 18m Surface – Asphalt Concrete, Strength - 10/F/C/Y/T
3.	Altimeter check point location and elevation	Location: - At Apron Elevation:- 445 ft.
4.	VOR/INS checkpoints	VOR:-Taxi holding position.
5.	Remarks	-

VNSI AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designation RWY NR	TRUE & MAG BRG	Dimensions of RWY (M)	Strength(PCN) and surface of RWY and SWY	THR Coordinates	THR elevation
1	2	3	4	5	6
01	013°	1192x 30	11/F/C/Y/T Asphalt Concrete	270916.80539N* 0845843.54421E	127.243m AMSL
19	193°	1192x30	11/F/C/Y/T Asphalt Concrete	270954.71540N* 0845852.63538E	136.734m AMSL
Slope of RWY-SWY	SWY Dimensions (M)	CWY Dimensions (M)	Strip Dimensions (M)	OFZ	Remarks
7	8	9	10	11	12
.....					

VNSI AD 2.13 DECLARED DISTANCES

RWY Designator	TORA (m)	TODA (m)	ASDA (m)	LDA (m)	Remarks
1	2	3	4	5	6
01	1192	1192	1192	1192	
19	1192	1192	1192	1192	

VNSI AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	APCH LGT Type LEN INTST	THR LGT COLOR WBAR	VASIS PAPI	TDZ LGT LEN	RWY Center Line LGT Length, spacing Color, INTST	RWY edge LGT LEN, spacing Color INTST	RWY End LGT Color	SWY LGT LEN (M) Color	Remarks
1	2	3	4	5	6	7	8	9	10
19	NIL	Green	PAPI 3.00°	NIL	NIL	1192m, 60m White LIM	Red	NIL	PAPI RWY 19 is restricted and unusable beyond 1 NM from the Runway Threshold
01	NIL	Green	APAPI 3.00°	NIL	NIL	1192m, 60m White LIM	Red	NIL	

VNSI AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1.	ABN Location, characteristics and hours of operation	ABN:At Tower Building/IBN: NIL
2.	LDI Location and LGT Anemometer Location and LGT	NIL
3.	TWY edge and Centre line lighting	Edge: All TWY Centre Line : NIL
4.	Secondary power supply / switch over time	Secondary power supply to all lighting at AD/switch over Manually
5.	Remarks	NIL

* WGS 84 Coordinates