

AD2 AFIS.STOL AERODROMES

AFIS AERODROMES location Indicator	Aerodrome Reference Point	Elevation n ft. m	RWY			Radio Com and NAV Aids		Aerodrome Status	RFFS	Remarks
			Designation	Dimension ft m	Surface	Frequency	Operating Hrs			
1. Baglung VNBL	281246 N * 0833959 E	3248ft 990m	01/19	1994 × 100ft 608× 30m	Earthen	123.95 MHZ	0415 – 1115### 0415 – 1015###	Not in Operation	Fire Extinguishers Available	
2. Baitadi VNBT	292755 N * 0803257 E	4127ft 1258m	03/21	1935 × 65ft 590× 20m	AC	-	0415 – 1115### 0415 – 1015###	Not in Operation		
3. Bajhang VNBG	293220 N * 0811107 E	4127ft 1258 m	07/25	2145× 100 ft 654 × 30 m	Earthen	122.5 MHZ	0415 – 1115### 0415 – 1015###	Not in Operation		
4. Bajura VNBR	293013 N * 0814006 E	4606ft 1404m	09/27	1706 × 65ft 520 × 20 m	AC	122.5 MHZ	0415 – 1115### 0415 – 1015###	In Operation	Fire Extinguishers Available	
5. Bhojpur VNBJ	270851 N * 0870303 E	3962ft 1208m	17/35	1771× 65ft 540 × 20 m	AC	122.3 MHZ	0015 – 0630## 0045 – 0630##	In Operation		TWY 18×20 m APRON 65×32 m
6. Chaurjahari VNCJ	283738 N * 0821136 E	2431ft 741m	03/21	1968 × 65ft 600× 20m	AC	122.5 MHZ	0415 – 1115### 0415 – 1015###	In Operation		Slope 0.22% towards RWY 21
7. Dang VNDG	280644 N * 0821733 E	2080ft 634m	16/34	2460 × 98ft 750 × 30 m	AC	122.3 MHZ	0415 – 1115### 0415 – 1015###	In Operation	Fire Extinguishers Available	Fix – TULSI Coordinates 280642 N 0821730 E
8. Darchula VNDL	294009 N* 0803254 E	2218ft 676m	07/25	1935 × 98ft 590× 30 m	Earthen	-	0415 – 1115### 0415 – 1015###	Not in Operation		
9. Dhorpatan VNDR	283100 N * 0830200 E	8950ft 2728m	09/27	1197 × 98ft 365× 30 m	Earthen	-	-	Not in Operation		
10. Dolpa VNDP	285909 N * 0824909 E	8212ft 2503m	16/34	1837 × 65ft 560 × 20m	AC	122.5 MHZ	0015 – 0630## 0045 – 0630##	In Operation	Fire Extinguishers Available	◆1 Aerodrome Data:
11. Doti VNDT	291547 N * 0805610 E	1893ft 577m	14/32	1607 × 65ft 490 × 20m	AC	122.5 MHZ	0415 – 1115### 0415 – 1015###	Not in Operation		
12. Gorkha VNGK	280220 N * 0842757 E	1455ft 445m	02/20	3500 × 150ft 1067 × 46m	Earthen	-	-	Not in Operation		

AFIS AERODROMES location Indicator	Aerodrome Reference Point	Elevation Ft m	RWY			Radio Com and NAV Aids		Aerodrome Status	RFFS	Remarks
			Designation	Dimension Ft m	Surface	Frequency	Operating Hrs			
13. Jiri VNJI	273733 N * 0861350 E	6063ft 1848m	14/32	1197 × 59ft 365 × 18m	Earthen	-	-	Not in Operation		
14. Jomsom VNJS	284652 N * 0834321 E	8976ft 2736m	06/24	2657 × 65ft 810 × 20m	AC	122.5 MHZ	0015 – 0630## 0045 – 0630##	In Operation	Ultra high pressurize system fire vehicle available Complementary Extinguishing Agents and Fire Extinguishers available	◆3 Aerodrome Data: ⊕3 Approach & Runway Lighting : Details of Aerodrome Chart - ICAO is on page AFIS AD 2-7
15. Jumla VNJL	291626 N * 0821123 E	7792ft 2375m	09/27	2214 × 65ft 675 × 20m	AC	122.5 MHZ	0015 – 1300# 0045 – 1215#	In Operation	Ultra high pressurize system fire vehicle available Complementary Extinguishing Agents and Fire Extinguishers available	⊕2 Approach & Runway Lighting and other lighting :
16. Kangel Danda VNKL	272500 N 0863818E	6880ft 2097m	11/29	1706 × 85ft 520 × 26m	Earthen	122.3 MHZ	0015 – 0630## 0045 – 0630##	Not in Operation		
17. Khani Danda Mannaya VNKD	271051 N 0864611 E	4435ft 1357m	08/26	1902 × 82ft 580 × 25m	AC	122.5 MHZ	0015 – 0630## 0045 – 0630##	In Operation	Fire Extinguishers Available	
18. Lamidada VNLD	271511 N * 0864012 E	4034ft 1230m	08/26	1706 × 65ft 520 × 20m	AC	122.5 MHZ	0415 – 1115### 0415 – 1015###	In Operation		Landing RWY 26 Take off RWY 08 TWY Dimension / Surface Type : 20×25m/ Asphalt Concrete Apron Surface Type: Asphalt Concrete Turning Pad available at Both ends of Runway
19. Langtang VNLT	281200 N 0853600 E	11998ft 3658m	09/27	1378 × 100ft 420 × 30m	Earthen	-	-	Not in Operation		
20. Mahendranagar VNMN	285748 N * 0800953 E	709ft 216m	17/35	2900 × 100ft 884 × 30m	Earthen	122.3 MHZ	0415 – 1115### 0415 – 1015###	Not in Operation		
21. Manang VNMA	283829 N * 0840521 E	11093ft 3381m	11/29	2952 × 65 ft 900 × 20m	AC	118.3 MHZ	0015 – 0630## 0045 – 0630##	Not in Operation		

AFIS AERODROMES location Indicator	Aerodrome Reference Point	Elevation Ft m	RWY			Radio Com and NAV Aids		Aerodrome Status	RFFS	Remarks
			Dimension Ft m	Dimension Ft m	Dimension Ft m	Frequency	Operating Hrs			
22. Masinechaur VNMC	290331 N * 0824441 E	9200ft 2804m	14/32	1968 × 98ft 600 × 30m	Gravel		0015 – 0630## 0045 – 0630##	Not in Operation		Apron Dimension 70 × 40m 230 × 131ft
23. Meghauli VNMG	273438N* 0841342 E	498ft 152m	08/26	3500×150ft 1067×46m	Earthen	122.5MHZ	0415 – 1115### 0415 – 1015###	Not in Operation		
24. Phaplu VNPL	273053 N * 0863510 E	8097ft 2468m	02/20	2230 × 65ft 680 × 20m	AC	122.5 MHZ	0015 – 0630## 0045 – 0630##	In Operation	Fire Extinguishers Available	
25. Ramechhap VNRC	272338 N * 0860341 E	1620ft 494m	03/21	1738 × 65ft 530 × 20m	AC	122.5 MHZ	0015 – 0630## 0045 – 0630##	In Operation	Ultra high pressurize system fire vehicle available Complementary Extinguishing Agents and Fire Extinguishers Available	Apron For 4 nos. of twinotter Aircraft 328 x164 ft/100 x15)m Runway Slope: 0.35% Upward from South to North Taxiway: 98x59ft/30x18)m Fuel Type : Jet A-1 Fuelling facilities/capacity Storage Capacity (KL): Physical -NIL, Mobile-39 Storage Type: Refueller Refueller Details: AR25 (16KL), AR13 (12KL), AR32 (11KL)
26. Rara VNRR	293100 N * 0820900 E	8924ft 2720m	18/36	1870 × 65ft 570 × 20m	AC	122.5 MHZ	0015 – 0630## 0045 – 0630##	In Operation		T/O RWY 36 Land RWY 18 upslope 6.5%
27. Rolpa VNRP	281659 N * 0824659 E	4088ft 1250m	06/24	1499 × 100ft 457 × 30m	Earthen	-	-	Not in Operation		
28. Rumjatar VNRT	271813 N * 0863302 E	4498ft 1371m	17/35	1902 × 65ft 580 × 20m	AC	122.3 MHZ	0415 – 1115### 0415 – 1015###	In Operation	Fire Extinguishers Available	Take Off RWY 17 Landing RWY 35
29. Salley VNSL	283814 N * 0822658 E	5184ft 1580m	16/34	1902 × 65ft 580 × 20m	AC	122.5 MHZ	0415 – 1115### 0415 – 1015###	In Operation	Fire Extinguishers Available	
30. Sanfebagar VNSR	291411 N * 0811258 E	1959ft 597m	03/21	1804 × 65ft 550 × 20m	AC	122.5 MHZ	0415 – 1115### 0415 – 1015###	In Operation		Apron Dimension: 80 × 35m Approach RWY: 03 Take off RWY : 21 RWY Slope: 0.6% upslope from South to North

AFIS AERODROMES location Indicator	Aerodrome Reference Point	Elevation Ft m	RWY			Radio Com and NAV Aids		Aerodrome Status	RFFS	Remarks
			Designation	Dimension Ft m	Surface	Frequency	Operating Hrs			
31. Simikot VNST	295816 N * 0814908 E	9751ft 2971m	10/28	2132 × 65ft 650 × 20m	AC	122.5 MHZ	0015 – 0630## 0045 – 0630##	In Operation	Ultra high pressurize system fire vehicle available Complementary Extinguishing Agents and Fire Extinguishers available	⊕ 1 Approach & Runway Lighting :
32. Syangboche VNSB	274837 N * 0864243 E	12348ft 3748m	13/31	1328 × 100ft 405 × 30m	Earthen	-	-	Not in Operation		
33. Taplejung VNTJ	272103 N * 0874145 E	7936ft 2419m	07/25	2296 × 65ft 700 × 20m	AC	122.5 MHZ	0015 – 0630## 0045 – 0630##	In Operation	Fire Extinguishers Available	Landing RWY 07 Take-off RWY 25
34. Thamkharka VNTH	270258 N * 0865127 E	5252ft 1601m	18/36	2034×65ft 620 × 20m	AC	122.3 MHZ	0015 – 0630## 0045 – 0630##	In Operation		◆ 2 Aerodrome Data :
35. Tenzing–Hillary Airport VNLK	274116 N * 0864353 E	9337ft 2846m	06/24	1729 × 65ft 527 × 20m	AC	120.150 MHZ	0015 – 1300# 0045 – 1215#	In Operation	Ultra high pressurize system fire vehicle available Complementary Extinguishing Agents and Fire Extinguishers available	T/O RWY 24 Land RWY 06 11.7% upslope. Details of FIZ is on page AFIS AD 2-6 ⊕ 4 Approach & Runway Lighting :
36. Tikapur VNTP	283120 N * 0810720 E	515ft 157m	05/23	1800 × 100ft 573 × 30m	Gravel	-	0415 – 1115### 0415 – 1015###	Not in Operation		

Note:- Operating Status of AFIS/STOL aerodromes may be changed and will be notified by NOTAM

* WGS 84 Coordinates

Operation hour fixed as follows:-

- | | | |
|---|-------------------|-----------------|
| 1 | 16 Feb to 15 Nov. | 0015 - 1300 UTC |
| 2 | 16 Nov to 15 Feb | 0045 - 1215 UTC |

Operation-hour fixed as follows:-

- | | | |
|---|-------------------|-----------------|
| 1 | 16 Feb to 15 Nov. | 0015 - 0630 UTC |
| 2 | 16 Nov to 15 Feb | 0045 - 0630 UTC |

Operation-hour fixed as follows:-

- | | | |
|---|-------------------|-----------------|
| 1 | 30 Jan to 01 Nov. | 0415 - 1115 UTC |
| 2 | 02 Nov to 29 Jan | 0415 - 1015 UTC |

⊕ 1 Approach and Runway Lighting System of Simikot Airport (VNST):

RWY Designator	THR LGT color WBAR	RWY End LGT color	Remarks
10	NIL	NIL	
28	RTIL Flashing White	Red	

⊕ 2 Approach & Runway Lighting of Jumla Airport (VNJL) :

RWY Designator	THR LGT color WBAR	RWY End LGT color	Other Lighting
09	Green	Red	1. Runway Threshold Identification Light (RTIL) Location and Characteristics 2. Location : RWY Threshold 09/27and Flashing white light with flash frequency 120 per minute.
27	Green	Red	

⊕ 3 Approach & Runway Lighting of Jomsom Airport (VNJS) :

RWY Designator	THR LGT color WBAR	RWY End LGT color
06	NIL	Red
24	WBAR Green	NIL

⊕ 4 Approach and Runway Lighting System of Tenzing-Hillary Airport (VNLK):

RWY Designator	THR LGT color WBAR	RWY edge LGT LEN, spacing color, INTST	RWY End LGT color
06	Green	527m ×20m White Yellow	Red
24	NIL	527m×20m Yellow	Red

◆1 Aerodrome Data of Dolpa Airport (VNDP) :

RWY Designation	THR Elevation	Strip Dimension
6	2482 m (Approach)	620m×50m (Graded)
34	2503 m (Take Off)	

◆2 Aerodrome Data of Thamkharka Airport (VNTH):

RWY Designation	THR Coordinates Elevation	Strip Dimension	RWY Longitudinal Slope	RWY Transverse Slope
18	270306 N 0865128 E*/ 1601m (5252 ft.)	720m×60m	2.00% upward slope from RWY 36	1.5%
36	270245 N 0865128E*/ 1588 m ((5210 ft.)			

◆3 Aerodrome Data of Jomsom Airport (VNJS)

a. Declared Distance of Runway:


Runway	TORA	TODA (m)	ASDA (m)	LDA (m)
RWY 24	810	810	810	770
RWY 06	810	810	810	810
Threshold Displaced at RWY 24 by 40m				

b. Co-ordinates:

Threshold	Longitude	Latitude	Elevation (m)
RWY 24	083°43'34.36"	28°46'56.14"	2743.0050
RWY 06	083°43'11"	28°46'42.24"	2742.0670

Operational maintenance of and security at all aerodromes which are not in operation are not the responsibility of CAAN. Operators are required to acquire essential information prior to using these aerodromes.

LAYOUT AND DATA OF JOMJOM AIRPORT PAVEMENT



DECLARED DISTANCE OF RUNWAY				
RUNWAY	TORA(m)	ASDA(m)	TODA(m)	LDA(m)
RWY24	810	810	810	770
RWY06	810	810	810	810

THRESHOLD DISPLACED AT RWY24 BY 40m.

CO-ORDINATES			
THRESHOLD	Longitude	Latitude	Elevation
RWY24	83°43'34.36"	28°46'56.14"	2743.0050
RWY06	83°43'11"	28°46'42.24"	2742.0670