

AD 2. AERODROME**VNRB AD 2.1 AERODROME LOCATION INDICATOR AND NAME****VNRB – Rajbiraj/Domestic****VNRB AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1.	ARP Coordinates and site at AD	263038N 0864417E
2.	Direction and Distance from (city)	4Km, South of Rajbiraj City
3.	Elevation/Reference Temperature	249 ft. (76m)
4.	MAG VAR/Annual Change	
5.	AD Administration, address Telephone, Telefax, AFS	Civil Aviation Authority of Nepal Rajbiraj Civil Aviation Office, Rajbiraj, Saptari Tel-977- 031-522458 (TWR) Fax - AFS - VNRBYDYX
6.	Types of traffic permitted (IFR/VFR)	VFR
7.	Remarks	-

VNRB AD 2.3 OPERATIONAL HOURS

1.	AD Administration	SUN – THU 10:00 -17:00 LT (SUMMER) 10:00-1600 LT (WINTER) FRI 10:00-1500 LT
2.	Customs and immigration	-
3.	Health and sanitation	-
4.	AIS Briefing Office	NIL
5.	ATS Reporting Office (ARO)	NIL
6.	MET Briefing	-
7.	AFIS	1) From 30 Jan - 01 Nov (0415 - 1115) UTC** 2) From 02 Nov - 29 Jan (0415 - 1015) UTC**
8.	Fuelling	-
9.	Handling (Cargo)	-
10.	Security	H-24
11.	Remarks	-

* WGS 84 Coordinates

**For operations other than above, Prior Co-ordination is required

VNRB AD 2.4 HANDLING SERVICES AND FACILITIES

1.	Cargo-handling facilities	-
2.	Fuel/Oil Types	-
3.	Fuelling facilities/capacity	-
4.	De-icing facilities	-
5.	Hangar space for visiting aircraft	-
6.	Repair facilities for visiting aircraft	-
7.	Remarks	-

VNRB AD 2.5 PASSENGER FACILITIES

1.	Hotels	In the city
2.	Restaurants	In the city
3.	Transportation	Taxi
4.	Medical Facilities	Hospital in the city
5.	Bank and Post Office	Bank and Post Office in the city
6.	Tourist Office	-
7.	Remarks	-

VNRB AD 2.6 RESCUE AND FIRE FIGHTING SERVICE

1.	AD category for fire fighting	Nil
2.	Rescue equipment	Nil
3.	Capability for removal of disabled aircraft	Nil
4.	Remarks	Fire Extinguishers (wheel type fire extinguishers also) Available.

VNRB AD 2.7 SEASONAL AVAILABILITY

Aerodrome available throughout the year

VNRB 2.8 APRONS, TAXIWAYS AND CHECK LOCATION DATA

1.	Apron surface and strength	Asphalt Concrete
2.	Taxiway width, surface and strength	Width – 30m Surface – Asphalt Concrete,
3.	Altimeter check point location and elevation	-
4.	VOR/INS checkpoints	-
5.	Remarks	-

VNRB AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designation RWY NR	TRUE BRG	Dimensions of RWY (M)	Strength(PCN) and surface of RWY and SWY	THR Coordinates	THR elevation and Highest elevation of TDZ of Precision APP RWY
1	2	3	4	5	6
11	113°	1590 × 30	Asphalt Concrete	263040.90N 0864349.88E	75.9m (249 ft.) AMSL
29	293°	1590 × 30	Asphalt Concrete	263022.02N 0864439.85E	73.4m (241 ft.) AMSL
Slope of RWY-SWY	SWY Dimensions (M)	CWY Dimensions (M)	Strip Dimensions (M)	OFZ	Remarks
7	8	9	10	11	12
.....

VNRB AD 2.13 DECLARED DISTANCES

RWY Designator	TORA (m)	TODA (m)	ASDA (m)	LDA (m)	Remarks
1	2	3	4	5	6
11	1590	1590	1590	1590	
29	1590	1590	1590	1500	

VNRB AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	APCH LGT type LEN INTST	THR LGT color WBAR	VASIS PAPI	TDZ LGT LEN	RWY Center Line LGT Length, spacing color, INTST	RWY edge LGT LEN, spacing color INTST	RWY End LGT color	SWY LGT LEN (M) color	Remarks
1	2	3	4	5	6	7	8	9	10
11			PAPI 3.00°						
29			APAPI 3.00°						


VNRB AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1.	ABN Location, characteristics and hours of operation	-
2.	LDI Location and LGT Anemometer Location and LGT	-
3.	TWY edge and Centre line lighting	-
4.	Secondary power supply / switch over time	-
5.	Remarks	-

VNRB AD 2.24 CHARTS RELATED TO RAJBIRAJ AIRPORT

Control Zone (CTR)	VNRB AD 2-11
RNAV GNSS approach procedure at Rajbiraj Airport	VNRB AD 2-12 - VNRB AD 2-16
Rajbiraj Airport Runway Chart	VNRB AD 2-17

Civil Aviation Authority Of Nepal
Rajbiraj Airport



VNRB AD 2.13 DECLARED DISTANCES

RWY Designator	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	Remarks
1	2	3	4	5	6
11	1590	1590	1590	1590	
29	1590	1590	1590	1500	

Rajbiraj Airport Runway Chart

All Dimensions are in Meter

VNRB AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS					
Designation RWY	TRF E HRG NR	Dimensions of RWY (M)	Strength (PCN) RWY and SWY	TRF Conditions RWY	TRF Elevation and Highest Elevation of TDZ of Precision APP
1	2	3	4	5	6
11	113 °	1590 x 30	Asphalt Concrete	26/04/0N 0864549.88E	75.9m (249 ft.) AMSL
29	114 °	1591 x 30	Asphalt Concrete	26/02/0N 0864539.88E	75.4m (247 ft.) AMSL
Shape of Dimensions					
7	8	9	10	11	12
SWY	Dimensions (M)	Dimensions (M)	Strip Dimensions (M)	Q/RZ	Remarks