

Pre-flight Information Bulletin	CIVIL AVIATION AUTHORITY OF NEPAL AIM DEPARTMENT INTERNATIONAL NOTAM OFFICE TIA, KATHMANDU Tel: +977-01-4113315, Fax: 01-4113178 E-mail: notamtia@gmail.com	Date and time of issue 30/08/2025 0000 UTC	Route and Area Coverage 1) KATHMANDU FIR (VNSM) AND OTHER FIRS 2) VNKT/B345/LLK/R460/L626/DPN/G336/SMR/G590/IID/W10/BBB 3) VNKT/R325/R344/CEA/BGO/G463/L507/BKK
GENERAL (FIR/ Routes/ Aerodromes)			
LOCATION	FACILITY	INFORMATION	
<u>KATHMANDU</u>			
VNKT	VVIP	A0176/25: 0050-0120 ON 30 AUG AND 1640-1710 ON 03 SEP 2025, ARR/DEP ACFT MAY BE DLA DUE VVIP MOV. FM 2508300050 TL 2509031710.	
VNKT	ATIS	A0174/25: ATIS ON 127.0 MHZ IS ON REDUCED RANGE (WESTERN SECTOR) DUE TECR ON VNNG STATION. FM 2508270945 TL 2509030920.	
VNKT	STAND BAY	A0150/25: ACFT STAND BAY-3 CLSD DUE MAINT. FM 2507191930 TL 2510181915.	
VNKT	PARKING AREA	A0128/25: A PORTION OF THE EXISTING DOMESTIC APRON ON THE NORTHERN SIDE WILL BE DEMOLISHED FOR THE CONSTRUCTION OF NEW REMOTE INTERNATIONAL PARKING APRON. FEW TEMPORARY PARKING AREAS FOR DOMESTIC FIXED WING AIRCRAFTS ARE INSTALLED IN THE NORTHERN PART OF NEWLY CONSTRUCTED TAXIWAY 'P' DURING THE CONSTRUCTION PERIOD AS FOLLOWS:	
		1. TEMPORARY PARKING AREA FOR FEW DOMESTIC FIXED WING AIRCRAFTS DURING CONSTRUCTION WORK, ARE INSTALLED IN THE NORTHERN ZONE (FOR ATR, DHC-8, AND CRJ AIRCRAFTS) AND SOUTHERN ZONE (FOR STOL AIRCRAFT ONLY) OF TAXIWAY 'G' WITH FOLLOWING OPERATIONAL LIMITATIONS:	
		AA. OPERATORS ARE ADVISED TO COORDINATE WITH ATC TOWER AND AIRSIDE MANAGEMENT DIVISION FOR PARKING ALLOCATION AND OPERATIONAL GUIDANCE.	
		BB. PILOTS AND GROUND PERSONNEL SHALL EXERCISE CAUTION WHILE OPERATING IN THE TEMPORARY PARKING AREA.	
		CC. FUEL SPILLAGE IN THE TEMPORARY PARKING AREA IS STRICTLY PROHIBITED WHILE REFUELLING.	
		FM 2506230015 TL 2509230015.	
VNKT	TURNING BAY	A0121/25: SIZE OF RWY TURNING BAY LOCATED AT THE EXTREME SOUTHERN END OF RWY02 IS TEMPORARILY DECREASED BY 11M DUE TO CONST WIP.	
		1. MINIMUM STEERING ANGLE IS LIMITED TO 40 DEGREE AND MAX TAX SPEED IS LIMITED TO 10KT. 2. BLUE REFLECTORS ARE PROVIDED IN PLACE OF TURNING BAY LGT. FM 2506110744 TL 2508310700.	
VNVN	SIGN	D0124/25: FOLLOWING SIGNAGE ARE U/S DUE TECR.	
		TWY A: MANDATORY INSTRUCTION SIGN -1 NOS	
		TWY B: MANDATORY INSTRUCTION SIGN -2 NOS	
		TWY C: MANDATORY INSTRUCTION SIGN -2 NOS. FM 2508010015 TL 2510311815.	
VNJS	LGT	D0137/25: THR LGT WBAR RWY 24 AND RWY END LGT RWY06 U/S DUE TECR. FM 2508300820 TL 2509130645.	
<u>DELHI FIR VIDP</u>			
VIDP	SMR	A2102/25: SMR-2 NOT AVBL DUE MAINT. MLAT (MULTILATERATION) AND SMR-1 TRACKS AVBL ON ASMGCS (ADVANCED SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM) DISPLAY. FM 2508291250 TL 2508301400EST.	
VIDP	RWY	A2054/25: 1830-2330 ON 25 28 31 AUG, RWY 11L/29R NOT AVBL FOR OPS DUE MAINT.FM 2508251830 TL 2508312330.	
VIDP	RWY	A2050/25: 1830-2330 ON 27 30 AUG, RWY 11R/29L NOT AVBL FOR OPS DUE MAINT.FM 2508271830 TL 2508302330.	
VIDP	BAT MOV	A1512/25: 1200-1530 DLY, BAT MOV IN AND AROUND ALL FOUR RUNWAYS AT IGI AIRPORT. PILOTS TO EXER CTN DRG LDG AND TKOF. FM 2507021200 TL 2509301530.	
VIDP	RWY	A1327/25: RWY 10/28 NOT AVBL FOR LDG AND TKOF DUE ILS CAT III UPGRADATION WORKS OF RWY 10.	
		DRG THIS PERIOD FLW RESTRICTIONS SHALL APPLY:	
		/TWY J6, TWY J7 AND TWY K5 NOT AVBL FOR OPS.	
		1. TWY N7 NOT AVBL FOR OPS. 2. PORTION OF RWY EAST OF TWY J5 NOT AVBL FOR TAXIING. 3. PORTION OF RWY 10/28 BTN TWY K2 AND TWY J5 AVBL FOR TAXIING. 4. TWY XNG K6-H6, K3-H3 NOT AVBL FOR OPS. 5. TWY XNG K2-H2 AND J5-G5 NOT AVBL FOR OPS. FM 2506160430 TL 2509151130.	
VIDP	ILS OR LOC	G0691/25: ILS OR LOC RWY 10 PROC IS TEMPO WITHDRAWN DUE EQPT REPLACEMENT. FM 2507021351 TL 2510012359EST.	

VIDP	ILS	G0690/25: ILS (CAT I) RWY 28 PROC IS TEMPO WITHDRAWN DUE EQPT REPLACEMENT. FM 2507021337 TL 2510012359EST.
VIDP	ILS	G0689/25: ILS (CAT-II/IIIA/IIIB) RWY 28 PROC IS TEMPO WITHDRAWN DUE EQPT REPLACEMENT. FM 2507021335 TL 2510012359EST.
VIDP	ILS	G0635/25: ILS RWY 10, CAT –(ROMAN) I, IDENT IPLM (LOC 109.500MHZ, GP 332.600MHZ, DME ILS10, CH32X) NOT AVBL DUE EQPT REPLACEMENT. FM 2506230655 TL 2509152359EST.
VIDP <u>MUMBAI FIR</u> <u>KOLKATA FIR</u>	ILS	G0634/25: ILS RWY 28, CAT –(ROMAN) III, IDENT IPLM (LOC 110.300MHZ, GP 335.000MHZ, DME ILS28, CH40X) NOT AVBL DUE EQPT REPLACEMENT. FM 2506230650 TL 2509152359EST.
VECC	RWY	A1486/25: 1530-2230, RWY 19R/01L NOT AVBL FOR LDG/TKOF. (FOR DETAILS SEE NOTAM...). FM 2508291530-2508312230.
VECC	RWY	A1462/25: RWY 01L NOT AVBL FOR OPS DUE CIV WIP. (FOR DETAILS SEE THE NOTAM) FM 2508250838 TL 2510310630.
VECC	TORA TODA	A1461/25: TORA AND TODA FOR RWY 19R REDUCED TO 2353M AND LDA RWY 19R REDUCED TO 2265M DUE NON AVBL OF PORTION OF RWY 19R/01L FM BEGINNING OF RWY 01L TO 130M NORTH OF ITS INT WITH TWY D. RMK (FOR DETAILS SEE NOTAM...) FM 2508250834 TL 2510310630.
VECC <u>CHENNAI FIR</u> <u>DHAKA FIR</u>	ILS	G0875/25: ILS RWY 19L CAT-II IDENT IDUM (LOC 110.300MHZ, GP 335.000MHZ, DME ILS19L CH40X) NOT AVBL DUE EQPT REPLACEMENT) FM 25098270536 TL 2511272359EST.
VGHS	RNAV	A0284/25: 0100-1600 DLY FM 23 JUL TO 20 OCT 2025, RNAV-1 STANDARD INSTRUMENT DEPARTURE (SID) AND RNAV-1 STANDARD INSTRUMENT ARRIVAL (STAR) FOR RWY 14 WILL BE AVBL. FM 2507230100 TL 2510201600.
VGHS <u>YANGON FIR</u> <u>BANGKOK FIR</u>	NDB	A0437/24: NDB FREQ 298 KHZ INDENT 'DCN' TRANSMISSION U/S DUE ANTENNA UNAVAILABILITY FM 2411170500 TL PERM.
VTBS	RWY	A2350/25: 1700-2330 ON 30 AUG, RWY 02L/20R CLSD DUE TO WIP.
VTBS	RESA	U5689/24: RESA DIMENSIONS(M) CHANGE AS FLW: 1. RWY02L: LENGTH 240M WIDTH 120M CHANGE TO LENGTH 200M WIDTH 120M. 2. RWY20R: LENGTH 240M WIDTH 120M CHANGE TO LENGTH 200M WIDTH 120M. 3. RWY20L: LENGTH 240M WIDTH 120M CHANGE TO LENGTH 230M WIDTH 120M. FM 2411301600 TL PERM.
<u>KUNMING FIR</u>		
ZUUU	RWY	U4137/25: 1800-2200 ON 30 AUG AND 03 SEP, RWY 02L/20R CLSD DUE MAINT. FM 2508301800 TL 2509032200.
ZUUU	RWY	U4135/25: 1800-2200 ON 29, 31 AUG, RWY 02R/20L CLSD DUE TO MAINT. FM 2508291800-2508312200.
ZUUU	AD	U2923/25: AD NOT AVBL FOR ALTN OF PASSENGER FLIGHT FM HONGKONG CHINA, MACAO, TAIWAN CHINA, AND NOT AVBL FOR INTERNATIONAL PASSENGER FLIGHT ALTN, EXCEPT EMERGENCY OR THE DESTINATION AIRPORT IS CHENGDU/TIANFU. FM 2506231600 TL 2509301559.
ZPPP	RWY	U3909/25: 1830- 2230 ON AUG 16 17 19 20 21 23 24 26 27 28 AND 30 RWY04/22 CLSD DUE MAINT. FM 2508161830 TL 2508302230.
ZPPP	BIRD ACTIVIES	U3639/25: ACTIVITIES OF BIRD FLOCKS TAKE PLACE AROUND AD: HEIGHT: OM - 600M, MOVE FASTIGIUM TIME: 2300 - 0230 (NEXT DAY), 0900-1130. QUANTITY: ABOUT 380. AERODROME AUTHORITY RESORTS TO DISPERSAL METHODS TO REDUCE BIRD ACTIVITIES. /EXERCISE CAUTION WHILE LANDING AND TAKE-OFF. FM 2507311600 TL 2508311559.
ZPPP	PAPI	U0726/24: 1. RWY02R THR PAPI MINIMUM EYE HEIGHT OVER THRESHOLD (MEHT) CHANGED TO 18.67M. 2. RWY 20L THR PAPI MEHT CHANGED TO 18.95M. FM 2407282200 TL PERM.
ZPPP	PAPI	U0866/24: 1. RWY03 THR PAPI MEHT: 20.98M. 2. RWY21 THR PAPI MEHT: 21.59M. 3. RWY04 THR PAPI MEHT: 21.75M. 4. RWY22 THR PAPI MEHT: 21.39M. FM 2403091600 TL PERM.
<u>SINGAPORE FIR</u> <u>GUANGZHOU FIR</u>		
ZGGG	FREQ	G2408/25: GUANGZHOU / BAIYUN TWR (01L/19R) PRIMARY FREQ CHANGED TO 118.8MHZ, TWR (01R/19L) PRIMARY FREQ CHANGED TO 118.325MHZ. FM 1507180400 TL 2510291559.

ZGGG	LOC	G1977/25: RWY20R LOC 'IAA' 110.75MHZ BEYOND 22NM OF FRONT COURSE U/S TO US. FM 2506180318 TL 2512311559EST.	
ZGGG	GP	G1976/25: RWY19L GLIDE PATH U/S BEYOND 003DEG LEFTSIDE. FM 2506180317 TL 2512311559EST.	
ZGGG	LOC	G1975/25: RWY19L LOC 'IPP' 111.5MHZ LIMITED TO USE: BEYOND 20NM OF FRONT COURSE U/S. FM 2506180315 TL 2512311559EST.	
ZGGG	GP	G1974/25: RWY19R GLIDE PATH U/S BEYOND 005DEG LEFTSIDE. FM 2506180314 TL 2512311559EST.	
ZGGG	LOC	G1973/25: RWY19R LOC 'IKU' 108.95MHZ LIMITED TO USE: BEYOND 20NM OF FRONT COURSE U/S. FM 2506180313 TL 2512311559EST.	
ZGGG	NDB	G1898/25: NDB 'FO' 410KHZ U/S. FM 2506130202 TL 2512311559EST.	
ZGGG	DME	G1863/25: CONGHUA DME 'CON' CH77X LIMITED TO USE: 1. U/S BEYOND 29.0NM ON REDIAL 320DEG FOR ARRIVAL PROCEDURE. 2. U/S BEYOND 16.0NM ON REDIAL 011DEG FOR HOLDING PROCEDURE. FM 2506110110 TL 2512311559EST.	
ZGGG	FLW PROC	G1634/25: FLW PROCEDURE U/S DUE TO MAINT: 1. IAC RNAV ILS/DME Z RWY02L. 2. IAC ILS/DME Y RWY02L. FM 2505220130 TL 2509031559.	
ZGGG	SID	G1633/25: FLW SID PROC RWY02L U/S DUE MAINT. (DETAILS AVBL IN NOTAM).FM 2505220130 TL 2509031519.	
<u>EMIRATES FIR</u> <u>DOHA FIR</u> OTBD	ILS	A1112/25: ILS RWY 15/33 NOT AVBL. FM 2507200658 TL 2510222359EST.	
OTBD	RNP APCH	A1026/25: RNP APCH RWY15 LNAV, OCA(H) RAISED TO 700 (663) FT. FM 2506291132 TL 2509202359.	
OTBD	RNP SID PROC	A1021/25: ALL RNP SID PROCEDURES ARE SUSPENDED. FM 2506291124 TL 2509202359.	
<u>FIR/UIR</u> Ref.	<u>Period</u> Time (UTC)	<u>Area and Nature of activity</u>	<u>Upper Limit</u> <u>Lower Limit</u>
<u>KATHMANDU FIR</u> <u>DELHI FIR</u> <u>MUMBAI FIR</u> A.1	<u>01-31/07,01-30/08</u> 0030-1730	A1024/25: 0030-1730 ON 01-05, 07-12, 14-19, 21-26, 28-31 JULY AND 0030-1730 ON 01 02, 04-09, 11-14, 18-23, 25-30 AUG, VAD 8 (BERCHHA) ACT	<u>12000FT AGL</u> GND
A.2	<u>01-31/07,01-30/08</u> 0030-1730	A1023/25: 0030-1730 ON 01-05, 07-12, 14-19, 21-26, 28-31 JULY AND 0030-1730 ON 01-02, 04-09, 11-14, 18-23, 25-30 AUG, VAD 219 (HEMA) ACT	<u>8000FT AGL</u> GND
<u>KOLKATA FIR</u> <u>DHAKA FIR</u> G.1	<u>29/08-05/09</u> 0000-1600	A0301/25: 0000-1600 DLY, BANGLADESH ARMY WILL CARRY OUT INFANTRY HEAVY WEAPON FIRING WI THE AREA BOUNDED BY THE LINES JOINING THE FOLLOWING COORDINATES: 242826.789N 0900145.599E, 242726.986N 0900202.476E, 242712.352N 0900129.294E, 242736.083N 0900056.772E, 242826.215N 0900137.535E AND 242826.789N 0900145.599E AT GHATAIL FIRLD FRNG RANGE (GFFR), GHATAIL. PRIORITY IS TI BE GIVEN TO BANGLADESH ARMY FRNG.	<u>ALT2900FT</u> GND
<u>YANGON FIR</u> <u>BANGKOK FIR</u> <u>KUNMING FIR</u> <u>GUANGZHOU FIR</u>			